

12.1500 Exception 1500

12.1500.1 The lands shall only be used for the following purposes:

- .1 shall only be used for the purposes permitted in a R1 zone.

12.1500.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Lot Area: 830 square metres;
- .2 Minimum Lot width: 26 metres; and,
- .3 Minimum Lot Depth: 25.5 metres.

12.1501 Exception 1501

12.1501.1 The lands shall only be used for the following purposes:

- .1 shall only be used for the purposes permitted in LC zone of this by-law.


12.1501.2 The lands shall be subject to the following requirements and restrictions:

- .1 the Gross Commercial Floor Area of all structures, other than any area used for garbage and refuse containers, shall not exceed 980 square metres;
- .2 the Height of all structures shall not exceed 1 storey;
- .3 all buildings and structures, except a garbage and refuse enclosure, shall be located within the area shown as Building Area on Figure 1-1501 to this by-law;
- .4 Landscape Open Space shall be provided and maintained in the locations shown as Landscaped Open Space on Figure 1-1501 to this by-law;
- .5 garbage and refuse containers for a restaurant shall be located within a climate controlled area within the building;
- .6 garbage and refuse containers for all other uses shall be totally enclosed and located to the rear of the building;
- .7 an adult entertainment parlour shall not be permitted;
- .8 no outside storage or display of goods shall be permitted;
- .9 no amusement devices shall be permitted;
- .10 access to the site shall be provided in the locations shown on Figure 1-1501 to this by-law, and shall have a minimum width of 7.6 metres;
- .11 a masonry wall 1.8 metres in height shall be erected and maintained in the location shown on Figure 1-1501 to this by-law; and,
- .12 parking and loading spaces shall be provided in accordance with section 4.1 and 4.6 this by law.

12.1501.3 for the purposes of Exception 1501:

- .1 Amusement Device shall mean any machine, device or contrivance used for playing any game of chance or skill or of mixed chance or skill or which is used to afford entertainment or amusement to the operator, and, without limiting the generality of the foregoing, includes what is commonly known as a pinball game, an electronic game, and a video game.

Figure 1



12.1502 Exception 1502


12.1502.1 The lands shall only be used for the following purposes:

- .1 shall, until 30 October 1987, only be used for the following purposes:
 - .a an office, other than:
 - .i an office for a physician, dentist or drugless practitioner, or
 - .ii a real estate office,
 - .b a bank, trust company or finance company.
- .2 shall, after 30 October 1987, only be used for the following purposes:
 - .a a bank, trust company or finance company.

12.1502.2 The lands shall be subject to the following requirements and restrictions:

- .1 the side yard widths, rear yard depth and lot width shall be as shown on Figure 1 - Exception 1502;
- .2 all buildings shall be located within the area shown as Building Area on Figure 1 - Exception 1502;
- .3 the Maximum Gross Commercial Floor Area of the building shall be 160 square metres;
- .4 Landscaped Open Space shall be provided and maintained in the locations shown as landscaped Open Space on Figure 1 - Exception 1502;
- .5 a minimum of six parking spaces shall be provided in the locations shown as Driveway and Parking Area on Figure 1 - Exception 1502;
- .6 all garbage and refuse containers shall be located within the building, and
- .7 no outside storage or display of goods or vehicles shall be permitted.

Figure 1



Building Area



Landscaped Open Space



Driveway and Parking Area

12.1503 Exception 1503


12.1503.1 The lands shall only be used for the following purposes:

- .1 a photographer's studio;
- .2 only one dwelling unit; and,
- .3 purposes accessory to the other permitted purposes.

12.1503.2 The lands shall be subject to the following requirements and restrictions:

- .1 the Gross Floor Area shall not exceed 330 square metres;
- .2 the Maximum Building Height shall not exceed 2 storeys;
- .3 all buildings and structures shall be located within the area shown as Building Area on Figure 1-Exception 1503 to this by-law;
- .4 Landscaped Open Space shall be provided and maintained in the location shown as Landscaped Open Space on Figure 1- Exception 1503 to this by-law;
- .5 a minimum of 4 parking spaces shall be provided and shall be located within the area shown as Parking and Driveway Area on Figure 1-Exception 1503 to this by-law; and,
- .6 only one driveway leading to the parking area shall be permitted, and it shall have a minimum width of 4 metres.

Figure 1



12.1504 Exception 1504


12.1504.1 The lands shall only be used for the following purposes:

- .1 a gas bar;
- .2 a service station;
- .3 a convenience restaurant, and
- .4 purposes accessory to the other permitted purposes.

12.1504.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Front Yard Depth: 14 metres
- .2 Maximum Gross Commercial Floor Area of all buildings and structures: 250 square metres
- .3 Maximum Building Height: 1 storey
- .4 Minimum Number of Parking Spaces:
 - .a for convenience restaurant 1 parking space for each 6.0 square metres of gross commercial floor area or portion thereof
 - .b for gas bar 1 parking space for each 23 square metres of gross commercial floor area or portion thereof
- .5 all buildings and structures shall be located in the areas identified as Building Area on Figure 1 - Exception 1504;
- .6 Landscaped Open Space shall be provided and maintained in the areas identified as landscaped Open Space on Figure 1 - Exception 1504;
- .7 no outside storage or display of goods, materials or machinery shall be permitted, and
- .8 no amusement devices or adult entertainment facilities shall be permitted.

Figure 1



12.1505 Exception 1505

12.1505.1 The lands shall only be used for the following purposes:

- .1 a restaurant;
- .2 a recreation club, which may include one dwelling unit for a resident manager;
- .3 outdoor recreation facilities associated with the recreation club; and
- .4 purposes to the other permitted purposes.


12.1505.2 The lands shall be subject to the following requirements and restrictions:

- .1 Restaurant and Recreation Club
 - .a only permitted within the development envelope as shown on Figure 1-Exception 1505;
 - .b Maximum Combined Gross Floor Area: 1000 square metres; and
 - .c Maximum Height of any building: 10 metres.
- .2 Off-Street Parking
 - .a only permitted within the development envelope as shown on Figure 1 - Exception 1505;
 - .b 1 parking space per 5 square metres of restaurant use;
 - .c 8 parking spaces per bocce court;
 - .d 3 parking spaces for each tennis, squash, handball or racquetball court;
 - .e 1 parking space per 20 square metres of office floor space;
 - .f 10 parking spaces per swimming pool;
 - .g 1 parking space per 10 square metres of floor space devoted to other education, recreation, lounge or meeting room uses;
 - .h each parking space shall have unobstructed access to an aisle leading to a driveway;
 - .i aisles leading to parking spaces and providing unobstructed access from each parking space to a driveway shall be established on the following basis:

Angle of Parking	Minimum Aisle Width
0° to less than 55°	4 metres
55° to less than 75°	5.5 metres
75° to 90°	6.5 metres

- .j every parking space shall be either a parallel parking space measuring 2.7 metres by 7.0 metres, or an angled parking space measuring 2.9 metres by 5.8 metres.
- .3 a private driveway is permitted outside the development envelope only as shown on Figure 1 - Exception 1505, and anywhere within the development envelope.
- .4 Landscaped Open Space shall be provided as shown on Figure 1 - Exception 1505.
- .5 outdoor recreational facilities are only permitted within the development envelope and within the landscaped open space and outdoor recreation facilities area, as shown on Figure 1- Exception 1505.

Figure 1



12.1506 Exception 1506

12.1506.1 The lands shall only be used for the following purposes:

- .1 shall only be used for the purpose of a fire hall.

12.1506.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Lot Area: 0.2 hectares
- .2 Minimum Lot Width: 30 metres
- .3 Minimum Lot Depth: 45.7 metres
- .4 Minimum Side Yard Width: 3 metres
- .5 Minimum Rear Yard Depth: 12 metres
- .6 Minimum Street Setback: 32 metres from centre line of a public highway
- .7 Minimum Parking: 5 spaces per bay

12.1507 Exception 1507

12.1507.1 The lands shall only be used for the following purposes:

- .1 shall only be used for a community centre.
- .2 shall be subject to the requirements and restrictions relating to the I2 zone.


12.1508 Exception 1508

12.1508.1 The lands shall only be used for the following purposes:

- .1 a pharmacy,
- .2 an office and storage space associated with the pharmacy
- .3 purposes accessory to the other permitted purposes.

12.1508.2 The lands shall be subject to the following requirements and restrictions:

- .1 the Gross Commercial Floor Area of the pharmacy shall not exceed 70 square metres;
- .2 the Gross Commercial Floor Area of the office and storage space shall not exceed 80 square metres;
- .3 the Maximum Building Height shall not exceed 10.5 metres;
- .4 Landscaped Open Space shall be provided and maintained in the locations shown on Figure 1 - Exception 1508;
- .5 all buildings and structures shall be located within the area shown as Building Area on Figure 1 - Exception 1508;
- .6 a minimum of 4 parking spaces shall be provided;
- .7 the width of a driveway leading to any parking area shall be a minimum of 4.9 metres, and
- .8 a loading area shall not be required.

Figure 1

12.1509 Exception 1509


12.1509.1 The lands shall only be used for the following purposes:

- .1 shall only be used for those purposes permitted in an RE Zone.

12.1509.2 The lands shall be subject to the following requirements and restrictions:

- .1 the minimum lot width and minimum yard depths shall be as shown on Figure 1 - Exception 1509.
- .2 Minimum Lot Area: 1350 square metres
- .3 Minimum Ground Floor Area:
 - .a One Storey: 150 square metres
 - .b Greater than one storey: 97.5 square metres
- .4 Access: from Coleraine Drive

Figure 1



12.1510 Exception 1510

12.1510.1 The lands shall only be used for the following purposes:

- .1 shall only be used for dry industrial uses, but not for any use which is obnoxious by reason of the noise or vibration created or the emission of dust, dirt, objectionable odours or gases.

12.1510.2 The lands shall be subject to the following requirements and restrictions:

- .1 dry industrial operations shall only be permitted within an enclosed building; and
- .2 outdoor storage of goods, materials or machinery shall not be permitted.
- .3 Landscaped Open Space with a minimum width of 4.6 metres shall be provided and shall occupy an area indicated as Landscaped Open Space on Figure 1-Exception 1510.
- .4 development shall only be permitted in conformity with the following site development standards:
 - .a Minimum Lot Area: 0.8 metres
 - .b Minimum Lot Frontage: 40 metres measured in a straight line from points on the side lot lines which are 18 metres from the front lot line
 - .c Minimum Front Yard Depth: 18 metres
 - .d Minimum Side Yard Width: 8 metres
 - .e Maximum Lot Coverage of all Buildings and Structures: 50% of the lot area
 - .f Maximum Building Height: 10 metres

A tower, cupola, steeple or other roof structure which is used only as an ornament or to house the mechanical equipment of any building shall be disregarded in calculating the height of the building.
 - .g Off-Street Parking:
 - .i at least one parking space on the same lot for each 55 square metres of gross floor area. (This parking space shall be used only for vehicles of employees, vehicles of customers and vehicles required in connection with the main use of the lot).
 - .ii every parking space shall be either a parallel parking space measuring 2.7 metres by 7.0 metres, or angled parking space measuring 2.9 metres by 5.8 metres.
 - .h Front Yard Use: Where the floor area of the main building on the premises is greater than 200 metres, no fence shall be permitted in the front yard and no truck loading facilities shall be provided in the front yard.
 - .i Minimum Rear Yard Depth: 7 metres, but none if abutting a rail line and 15 metres if abutting a street, a 0.3 metre reserve or a Residential or Institutional Zone

.j Off Street Loading

.i Number of Loading Spaces Required:

1. 280 square metres: none
2. 280 square metres to 1860 square metres: 1
3. each additional 1860 square metres: 1


.ii no loading space within the front yard;

.iii each loading space shall have an unobstructed ingress and egress of not less than 6 metres in width to and from a public street.

12.1510.3 for the purposes of Exception 1510:

- .1 Landscaped Open Space shall mean open space on a lot which is used for the growth, maintenance and preservation of grass, flowers, trees, shrubs and other vegetation.
- .2 Loading Space shall mean an unencumbered area of land which is provided and maintained upon the same lot or lots upon which the principal use is located and which area:
 - .a is provided for the temporary parking of one (1) commercial motor vehicle while merchandise or materials are being loaded or unloaded from such vehicle;
 - .b consists of a space measuring a minimum of 7.5 metres long and 3.6 metres wide and having a minimum vertical clearance of 4.3 metres;
 - .c is not upon or partly upon any street or lane;
 - .d is accessible from a street or lane by means of driveways, aisles, manoeuvring areas or similar areas, no part of which shall be used for the temporary parking or storage of motor vehicles.
- .3 Lot Area shall mean the total horizontal area enclosed within the lot lines of a lot. In the case of a corner lot having a street line rounding at the corner of a radius of 7.5 metres or less, the lot area of such lot shall be calculated as if the lot lines were produced to their point of intersection.
- .4 Parking Space shall mean a rectangular area accessible from a driveway or aisle for the temporary storage of motor vehicles but shall not include any part of a driveway or aisle.
- .5 Dry Industrial Use shall mean any establishment involving repairing, servicing, processing, manufacturing, storing or shipping which does not require any water for cooling, manufacturing, processing or equipment washing, and water is merely to serve the domestic needs of the employees.

Figure 1



12.1511 Exception 1511**12.1511.1 The lands shall only be used for the following purposes:**

- .1 shall only be used for dry industrial uses, but not for any use which is obnoxious by reason of the noise or vibration created or the emission of dust, dirt, objectionable odours or gases.

12.1511.2 The lands shall be subject to the following requirements and restrictions:

- .1 dry industrial uses may involve the storage of goods and materials in the open including a bulk storage yard, truck terminal and contractors' yards and the storage of building supplies, heavy equipment and heavy machinery storage; and
- .2 any area used for outside storage shall be surfaced and maintained with either concrete, asphalt, crushed stone or other hard surface and dustless materials.
- .3 Landscaped Open Space with a minimum width of 4.6 metres shall be provided and shall occupy an area indicated as Landscaped Open Space on Figure 1 - Exception 1511.
- .4 development shall only be permitted in conformity with the following site development standards:
 - .a Minimum Lot Area: 0.8 hectares.
 - .b Minimum Lot Width: 40 metres measured in a straight line from points on the side lot lines which are 18 metres from the front lot line.
 - .c Minimum Front Yard Depth: 18 metres.
 - .d Minimum Side Yard Width: 8 metres.
 - .e Maximum Lot Coverage of all buildings and structures: 50% of the lot
 - .f Maximum Building Height: 10 metres

A tower, cupola, steeple or other roof structure which is used only as an ornament or to house the mechanical equipment of any building shall be disregarded in calculating the height of the building.
 - .g Off-Street Parking:
 - .i at least one parking space on the same lot for each 55 square metres of gross floor area. This parking space shall be used only for vehicles of employees, vehicles of customers and vehicles required in connection with the main use of the lot.
 - .ii every parking space shall be either a parallel parking space measuring 2.7 metres by 7.0 metres, or angled parking space measuring 2.9 metres by 5.8 metres.
 - .h Front Yard Use: where the floor area of the main building on the premises is greater than 200 metres, no open storage shall be permitted between the main building and the street


line, no fence shall be permitted in the front yard and no truck loading facilities shall be provided in the front yard.

- .i Off-Street Loading:
 - .i 280 square metres of Floor Area – No loading space required.
 - .ii 280 square metres to 1860 square metres of Floor Area – 1 loading space required.
 - .iii Each additional 1860 square metres of Floor Area – 1 loading space required.
 - .iv no loading space within the front yard; and
 - .v each loading space shall have an unobstructed ingress and egress of not less than 6 metres in width to and from a public street.

12.1511.3 for the purposes of Exception 1511:

- .1 Landscaped Open Space shall mean open space on a lot which is used for the growth, maintenance and preservation of grass, flowers, trees, shrubs and other vegetation.
- .2 Loading Space shall mean an unencumbered area of land which is provided and maintained upon the same lot or lots upon which the principal use is located and which area:
 - .a is provided for the temporary parking of one (1) commercial motor vehicle while merchandise or materials are being loaded or unloaded from such vehicle;
 - .b consists of a space measuring a minimum of 7.5 metres long and 3.6 metres wide and having a minimum vertical clearance of 4.3 metres;
 - .c is not upon or partly upon any street or lane; and
 - .d is accessible from a street or lane by means of driveways, aisles, manoeuvring areas or similar areas, no part of which shall be used for the temporary parking or storage of motor vehicle.
- .3 Lot Area shall mean the total horizontal area enclosed within the lot lines of a lot. In the case of a corner lot having a street line rounding at the corner of a radius of 7.5 metres or less, the lot area of such lot shall be calculated as if the lot lines were produced to their point of intersection.
- .4 Parking Space shall mean a rectangular area accessible from a driveway or aisle for the temporary storage of motor vehicles but shall not include any part of a driveway or aisle.
- .5 Bulk Storage Yard shall mean a place where land is used for the storage in the open of goods and materials such as coal, lumber, building supplies, construction equipment and the like, but does not include salvage, junk or scrap yards.
- .6 Dry Industrial Use shall mean any establishment involving repairing, servicing, processing, manufacturing, storing or shipping which does not require any water for cooling, manufacturing, processing or equipment washing, and water is merely to serve the domestic needs of the employees.

Figure 1



12.1512 Exception 1512

12.1512.1 The lands shall only be used for the following purposes:


- .1 the warehousing and storage of goods and products and materials within an enclosed building;
- .2 the manufacture and assembly of the following products:
 - .a clothing and finished textile or fabric products;
 - .b printing and bookbinding and lithographing;
 - .c die castings involving the use of plastics and light metals including aluminum zinc;
 - .d light manufacturing of tubing, pipes, tools and instruments, electrical components, building hardware, telephone, television, radio and electronic components, drugs and pharmaceutical products, cosmetics and associated products;
- .3 shops for the repair or manufacturing of small goods and wares;
- .4 business, professional and administrative offices connected with another permitted purpose;
- .5 exhibition and conference halls;
- .6 radio, television broadcasting and transmission facilities;
- .7 one dwelling unit, as part of an industrial building, only for the use of a caretaker or night watchman employed in connection therewith;
- .8 any use by a public body of the same general character as the other permitted purposes;
- .9 purposes accessory to the other permitted purposes, including a retail outlet operated in connection with an industrial use located on the site, provided that the total gross floor area of the retail outlet is not more than fifteen percent (15%) of the total gross floor area of the industrial use.

12.1512.2 The lands shall be subject to the following requirements and restrictions:

- .1 The Minimum Front Yard Depth shall be 25 metres;
- .2 the Minimum Lot Area shall be 2,000 square metres;
- .3 Minimum Side Yard Width
 - .a the minimum side yard width on each side of the building constructed thereon shall be 8 metres;
 - .b for any lot having a front lot line length in excess of 50 metres, the minimum side yard width on each side of the building constructed thereon shall be 8 metres or fifteen (15%) of the length of the said front lot line, whichever is more, up to a maximum side yard width requirement of 30 metres;

- .4 the Maximum Coverage of buildings and structures shall not exceed fifty percent (50%) of the lot area;
- .5 the Minimum Rear Yard Depth shall be 20 metres;
- .6 the required front yard, and all required side yards, from the front lot line to the rear wall of the rearmost building, shall be landscaped, such landscaping to consist of paved driveways and parking areas, lawns and planting strips, provided however that paved areas shall not exceed fifty percent (50%) of the area of the required front yard or the area of the required side yards.
- .7 Outdoor truck loading facilities:
 - .a no outdoor truck loading facilities are permitted in the front yard;
 - .b if the building depth is less than 60 metres, no outdoor truck loading facilities are permitted within the front half of the building depth;
 - .c if the building depth is greater than 60 metres, no outdoor truck loading facilities are permitted within the first 30 metres of the building depth;
- .8 at least one parking space for each 55 square metres of gross floor area shall be provided on the same lot, and such parking space shall be used only for vehicles of employees, vehicles of customers, and vehicles required in connection with the main use of the lot;
- .9 all operations are to be carried out within buildings, and the height of a building shall not exceed the following, exclusive of mechanical or elevator areas:
 - .a two storeys in height, for manufacturing uses;
 - .b five storeys in height, for office space;
- .10 outside storage of goods, material and equipment shall not be permitted;
- .11 a Landscaped Open Space of a minimum of 15 metres in width shall be provided and maintained along Airport Road, Williams Parkway and the proposed Arterial Road, as shown on Figure 1 - Exception 1512.

Figure 1



15m wide Landscaped Area

12.1513 Exception 1513

12.1513.1 The lands shall only be used for the following purposes:

- .1 the purposes permitted by Exception 1512.1;
- .2 the manufacturing, assembly, storage and distribution of semi-finished and finished products;
- .3 dry cleaning plants, laundry and dyeing establishments, excluding any dangerous uses;
- .4 dairy products plants and bakeries;
- .5 a builder's supply yard or a contractor's yard including a repair and assembly shop, but excluding any scrap metal storage or salvage yards;
- .6 any purposes accessory to the other permitted purposes.

12.1513.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Front Yard Depth shall be:
 - .a 15 metres for a building less than 8 metres in height above grade,
 - .b 18 metres for a building less than 10 metres but greater than 8 metres in height above grade,
 - .c 21 metres for a building less than 12 metres but greater than 10 metres in height above grade,
 - .d 24 metres for a building less than 15 metres but greater than 22 metres in height above grade;
- .2 Minimum Lot Area shall be 2,000 square metres;
- .3 Minimum Rear Yard Depth shall be 8 metres, except where the rear lot line abuts a railway right-of-way or easement, in which case no rear yard shall be required;
- .4 minimum side yard width shall be 8 metres, except where the rear lot line abuts a railway right-of-way or easement, in which case no side yard shall be required;
- .5 the required front yard, and all required side yards, from the front lot line to the rear wall of the rearmost building, shall be landscaped, such landscaping to consist of paved driveways and parking areas, lawns and planting strips, provided however that paved areas shall not exceed fifty (50%) of the area of the required front yard or the area of the required side yards.
- .6 no truck loading facility or hydro electric transformer shall be located within the front yard or closer to the street than any part of the front wall of the building;
- .7 outside storage of goods, material and equipment is permitted subject to the following conditions:

- .a the storage area shall not be located in the front yard, or in any required side yard which abuts a street, or on any portion of the lot required for parking, and shall not be closer to any side lot line, except in the rear yard, than the required setback for a building, provided, however, that where the rear yard abuts a street, the storage area shall not be located closer to any rear lot line than the required setback for a building from the rear lot line;
- .b the storage area is enclosed by a fence or wall not less than 2.4 metres in height, constructed of metal, wood or masonry, which is effective in screening the storage area from the street, provided that no fence shall be required on the rear lot line where a rear yard abuts a railway right-of-way or easement;
- .c where the storage area abuts a street or land zoned for purposes other than industrial, a landscaped strip 2 metres in width, containing plant material with suitable screening characteristics, shall be provided and maintained along the affected property line(s);

.8 the provisions of Exception 1513.2(7) shall not prevent the display in the open of new products produced in or distributed by an industrial establishment, provided that:

- .a the total area so used does not exceed five percent (5%) of the lot area, and
- .b such area is not closer to any street than the minimum distance from the street required for buildings and structures;

.9 all manufacturing and processing operations other than:

- .a the moving of goods and materials in and out of buildings and structures;
- .b associated minor preparatory and finishing work, and
- .c associated assembly of components too large to be assembled within the buildings and structures, shall be carried out within buildings and structures;

.10 no building shall have more than four storeys for a manufacturing use or five storeys for an office use, exclusive of mechanical or elevator areas;

.11 for the purposes permitted by Exception 1513.1(1), the parking requirements as described under Exception 1512.2(8) shall apply;

.12 for all other purposes, as permitted by Exceptions 1513.1 (2) to (6), at least one parking space for each 70 square metres of gross floor area shall be provided on the same lot, and such parking spaces shall be used only for the vehicles of employees and customers, and for vehicles required in connection with the main use of the lot.

12.1514 Exception 1514

12.1514.1 The lands shall only be used for the following purposes:

- .1 one only of a bank or a trust company savings office or a similar financial institution;
- .2 offices, other than the offices for medical, dental and similar practitioners;
- .3 a dining room restaurant, a convenience restaurant, a take-out restaurant;
- .4 a retail store selling new merchandise only, barber shop, beauty parlour, shoe shine parlour, service or repair shop, tailor shop, postal station, self-service laundry, a laundry or dry cleaning distribution station, snack bar, ice cream parlour, photographer's or artist's studio, or a bake shop;
- .5 a service station, a gas bar and a motor vehicle washing establishment.

12.1514.2 The lands shall be subject to the following requirements and restrictions:

- .1 not more than 465 square metres of gross floor area shall be used for any one particular commercial use.
- .2 the Maximum Building Height shall be two (2) storeys, except that, for buildings fronting onto Automatic Road, the maximum building height shall be three (3) storeys.
- .3 one loading space shall be provided for each 2,000 square metres of gross commercial floor area;
- .4 parking spaces for commercial uses shall be provided in accordance with the following requirements:
 - .a bank, trust companies or financial institutions: 1 parking space for each 15 square metres of gross floor area or portion thereof.
 - .b personal service shop: 1 parking space for each 19 square metres of gross floor area or portion thereof.
 - .c furniture, furniture, appliances or floor coverings: 1 parking space for each 62 square metres of gross floor area or portion thereof.
 - .d stores, offices, other than office of medical, dental and similar: 1 parking space for each 31 square metres of gross floor area or portion thereof.
 - .e practitioners, dining room restaurants and taverns: 1 parking space for each 4.6 square metres of gross commercial floor area or portion thereof.
 - .f mixed service restaurant: 1 parking space for each 3.7 square metres of gross floor area or portion thereof.
 - .g take-out restaurant: 1 parking space for each 3.7 square metres of gross floor area or portion thereof.

- .h all other commercial: 1 parking space for each 19 square metres of gross floor area or portion thereof.
- .5 Curb service, drive-in service, or any similar activity shall not be permitted.
- .6 Minimum Lot Width: 45 metres
- .7 Minimum Lot Depth: 45 metres
- .8 Minimum Front Yard: 15 metres
- .9 Minimum Side Yard Width: 8 metres
- .10 Minimum Rear Yard Depth: 8 metres
- .11 Maximum Building Height: 2 storeys
- .12 at least twenty (20) percent of the area of the lot shall be landscaped open space, free of all parking, driveway and paved areas.
- .13 subject to Exception 1514.2(14), landscaped open space with a minimum width of 15 metres shall be provided and maintained along Airport Road, Williams Parkway and the proposed Arterial Road, as shown on Figure 1 - EXCEPTION 1512.
- .14 For a service station, the landscaped open space along Williams Parkway may be reduced to a minimum width of 5 metres, and, along Airport Road, to a minimum of 10 metres.
- .15 For the lands designated LC- Exception 1514, one right-in, right-out driveway access on Airport Road and two right-in, right-out driveway accesses on Williams Parkway shall be permitted through the required landscaped open space.
- .16 an adult entertainment parlour shall not be permitted.

12.1514.3 for the purposes of Exception 1514:

- .1 a service station, a gas bar, and a motor vehicle washing establishment shall be subject to the requirements and restrictions contained in GC Zone which are not in conflict with the ones set out in Exception 1514.2.
- .2 Lot Width shall mean the straight line distance between the side lot lines, but:
 - .a where such lot lines are not parallel but converge towards the front lot line, the lot width shall be the straight line distance between points on the side lot lines measured on a line 6 metres back from the front lot line,
 - .b where such lot lines are not parallel but converge towards the rear lot line, the lot width shall be the straight line distance between points on the side lot lines measured on a line 18 metres back from the front lot line,
 - .c in the case of a corner lot having a street line rounding at the corner lot a radius of 7.5 metres or less, the lot width of such lot shall be calculated as if the lot lines were produced to their point of intersection.

12.1515 Exception 1515

12.1515.1 The lands shall only be used for the following purposes:

.1 shall only be used for single detached dwellings and purpose accessory thereto.

12.1515.2 The lands shall be subject to the following requirements and restrictions:

.1 shall, in respect of part of Lot 1, Registered Plan M-345, be subject to the following requirements and restrictions:

.a Minimum Lot Width: 72.0 metres

.b Minimum Lot Area: 0.49 hectares

.2 shall in respect of part of Lot 2, Registered Plan M-345, be subject to the following requirements and restrictions:

.a Minimum Lot Width: 67.0 metres

.b Minimum Lot Area: 0.78 hectares

.3 shall, in respect of part of Lot 13, Registered Plan M-345, be subject to the following requirements and restrictions:

.a Minimum Lot Width: 72.0 metres

.b Minimum Lot Area: 1.0 hectares

.4 shall, in respect of part of Lot 14, Registered Plan M-345, be subject to the following requirements and restrictions:

.a Minimum Lot Width: 90.0 metres

.b Minimum Lot Area: 0.64 hectares

12.1516 Exception 1516

12.1516.1 The lands shall only be used for the following purposes:

- .1 shall only be used for the following purposes, subject to the requirements and restrictions relating to the PE zone:
 - .a a motel, and
 - .b the purposes permitted in an PE zone.

12.1517 Exception 1517

12.1517.1 The lands shall only be used for the following purposes:

- .1 Commercial
 - .a a garden centre;
 - .b a motor vehicle or boat sales, rental, leasing or service establishment, a motor vehicle repair shop, and a motor vehicle or boat parts and accessories sales establishment;
 - .c only in conjunction with a motor vehicle sales, rental, leasing or service establishment, a motor vehicle body shop;
 - .d a parking lot;
 - .e a dining room restaurant, a convenience restaurant; a take out restaurant;
 - .f a taxi or bus station;
 - .g a banquet facility;
 - .h a community club;
 - .i a tool and equipment rental establishment;
 - .j a gas bar
 - .k a service station;
 - .l a motor vehicle washing establishment;
 - .m an animal hospital;
 - .n a retail establishment having no outside storage;
 - .o a health centre;
 - .p a service shop;
 - .q a personal service shop;
 - .r a dry cleaning and laundry distribution station;
 - .s a bank, trust company or finance company;
 - .t an office;
 - .u a retail warehouse;
 - .v a radio or television broadcasting and transmission establishment; and
 - .w a recreation facility or structure.

- .2 Industrial
 - .a the manufacturing, cleaning, packaging, processing, repairing or assembly of goods, food, or materials within an enclosed building;
 - .b a printing establishment; and
 - .c a warehouse.
- .3 Non-Commercial
 - .a a crisis care facility.
- .4 Accessory
 - .a purposes accessory to other permitted uses.

12.1517.2 The lands shall be subject to the following requirements and restrictions:

- .1 no outside storage or display of goods shall be permitted;
- .2 all garbage, refuse and waste containers for a restaurant shall be located within a climate controlled area within the building containing the restaurant;
- .3 all garbage and refuse storage, other than a restaurant, including any containers for the storage of recyclable materials, shall be enclosed;
- .4 an adult video store or an adult entertainment parlour shall not be permitted;
- .5 the uses permitted in Exception 1517.1(1)(t) shall be restricted to a maximum gross commercial floor area of 930 square metres;
- .6 the uses permitted in Exception 1517.1(1)(n) shall be restricted to 15% of the total gross commercial floor area to a maximum of 1,395 square metres;
- .7 the Maximum Gross Commercial Floor Area devoted to the sale of food within any retail establishment shall not exceed 930 square metres;
- .8 for the uses permitted in Exception 1517.1(1)(e) the following shall apply:
 - .a a maximum of two restaurants shall be permitted on a lot;
 - .b when a restaurant is located in an industrial mall, a maximum of one restaurant shall be permitted in the industrial mall; and
 - .c shall have a maximum gross commercial area of 465 square metres per restaurant;
- .9 a 12 metre wide landscaped area shall be provided along Goreway Drive and Highway #7 and a 3.5 metre wide landscaped open space shall be provided along an NS zone; and
- .10 all buildings and structures shall be set back a minimum of 14 metres from the right-of-way of Highway #7.

12.1517.3 for the purposes of Exception 1517:

- .1 Retail Warehouse shall mean a building or structure, or part of a building or structure, where a single user occupies a minimum gross floor area of 1,860 square metres and where the principal use is the sale of products displayed and stored in a warehouse format and where such products shall not include food and pharmaceutical products.
- .2 Crisis Care Facility shall mean a place where short-term temporary accommodation is provided for persons in emergency situations

12.1518 Exception 1518

12.1518.1 The lands shall only be used for the following purposes:

- .1 a woodworking plant engaged in the manufacturing of finished wood products
- .2 limited retail sales of finished wood products manufactured on the premises with an area of not more than ten (10) percent of the gross floor area
- .3 agricultural use.

12.1518.2 The lands shall be subject to the following requirements and restrictions:

- .1 off-street parking shall be provided on the basis of one parking space for each 93 square metres of gross floor area and one additional parking space for each 18.5 square metres of retail floor area
- .2 one driveway access shall be permitted only to Coleraine Drive, and no access shall be permitted to King's Highway Number 50

12.1519 Exception 1519

12.1519.1 The lands shall only be used for the following purposes:

- .1 shall only be used for the purposes permitted in the RE Zone

12.1519.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Lot Area: 0.8 hectares

12.1520 Exception 1520

12.1520.1 The lands shall only be used for the following purposes:

- .1 agricultural use;
- .2 a single detached dwelling;
- .3 a home occupation; and
- .4 purposes accessory to the other permitted purposes.

12.1520.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Lot Area: 4 hectares; and
- .2 on a lot greater than 2 hectares in size, an accessory building having a ground floor area greater than 75 square metres shall only be of wood or metal frame construction with wood or metal cladding.

12.1521 Exception 1521

12.1521.1 The lands shall only be used for the following purposes:**.1 Industrial**

- .a the manufacturing, cleaning, packaging, processing, repairing or assembly of goods, foods or materials within an enclosed building, but excluding a motor vehicle repair shop and a motor vehicle body shop as a principal or accessory use;
- .b a warehouse; and,
- .c a printing establishment; and,

.2 Non-Industrial

- .a only in conjunction with an industrial use permitted in Exception 1521.1(1) a corporate office building;
- .b only in conjunction with an industrial mall, one of the following:
 - .i one dining room restaurant; or,
 - .ii one convenience restaurant; or,
 - .iii one take-out restaurant;
- .c only in conjunction with an industrial mall, an office use, excluding a real estate office or an office for medical, health care, or dental practitioners;
- .d only in conjunction with an industrial mall;
 - .i a retail establishment, having no outside storage and excluding a supermarket;
 - .ii a service shop;
 - .iii a community club;
 - .iv a health centre;
 - .v a custom workshop;
 - .vi an animal hospital;
 - .vii a day nursery;
 - .viii a dry cleaning and laundry establishment;
 - .ix a radio or television broadcasting and transmission establishment;
 - .x a recreation facility or structure;
 - .xi a religious institution, including an associated place of public assembly; and,

- .xii a crisis care facility; and,
- .e only in conjunction with an industrial mall;
 - .i a bank, trust company or financial institution;
 - .ii banquet facility; and,
 - .iii a commercial, technical or recreational school.

.3 Accessory

- .a an ancillary educational purpose;
- .b an ancillary office use operated in connection with a particular purposes permitted by Exception 1521.1(1), provided that the total gross floor area of the office is not more than 50 percent of the total gross floor area of the particular industrial use;
- .c an ancillary retail outlet operated in connection with a particular use permitted by Exception 1521.1(1), provided that the total gross floor area of the retail outlet is not more than 15 percent of the total gross floor area of the particular industrial use; and,
- .d purposes accessory to the other permitted purposes.

12.1521.2 The lands shall be subject to the following requirements and restrictions:

- .1 Maximum Gross Commercial Floor Area devoted to those restaurant type uses permitted in Exception 1521.1(2)(b) shall be restricted to 5% of the gross floor area of the entire building, to a maximum of 465 square metres;
- .2 Maximum Gross Commercial Floor Area devoted to those office type uses permitted in Exception 1521.1(2)(c) shall be restricted to 5% of the gross floor area of the entire building, to a maximum of 465 square metres;
- .3 Maximum Gross Commercial Floor Area devoted to those commercial and institutional type uses permitted in Exception 1521.1(2)(d) shall be restricted to 5% of the gross floor area of the entire building, to a maximum of 465 square metres;
- .4 Landscaped Open Space having minimum widths of 9.0 metres and 6.0 metres shall be provided and maintained along Airport Road and Intermodal Drive, respectfully, except at approved driveway locations; and,
- .5 an adult entertainment parlour, an adult video store or adult book store shall not be permitted.

12.1521.3 for the purposes of exception 1521:

- .1 Front Lot Line shall mean the lot line nearest and parallel to Intermodal Drive.
- .2 Crisis Care Facility shall mean a place where short-term temporary accommodation is provided for persons in emergency situations.

12.1522 Exception 1522


12.1522.1 The lands shall only be used for the following purposes:

- .1 a motor vehicle repair shop;
- .2 purposes accessory to a motor vehicle repair shop;
- .3 the purposes permitted in an A zone.

12.1522.2 The lands shall be subject to the following requirements and restrictions:

- .1 a motor vehicle repair shop shall be located only within the area shown as Building Area on Figure 1 - Exception 1522;
- .2 the Gross Floor Area of the motor vehicle repair shop shall not exceed 117 square metres;
- .3 outdoor storage and parking of vehicles shall be permitted only in the area designated as OPEN STORAGE AND PARKING AREA on Figure 1 - Exception 1522, provided that outside storage shall be permitted only to the rear of the Building Area;
- .4 access to the motor vehicle repair shop shall be permitted only by the DRIVEWAY as shown on Figure 1 - Exception 1522; and
- .5 the motor vehicle repair shop shall no longer be permitted as a use after March 31, 1986.

Figure 1



12.1524 Exception 1524

12.1524.1 The lands shall only be used for the following purposes:

.1 Commercial:

- .a a retail establishment having no outside storage;
- .b a supermarket;
- .c a service shop;
- .d personal service shop;
- .e bank, trust company, finance company;
- .f an office;
- .g a dry cleaning and laundry distribution station;
- .h a laundromat;
- .i a parking lot;
- .j a dining room restaurant;
- .k a service station;
- .l a printing or copying establishment;
- .m a commercial school;
- .n a garden centre sales establishment;
- .o a temporary open air market;
- .p a community club;
- .q a health centre;
- .r a tavern;
- .s a taxi or bus station;
- .t a theatre; or
- .u a custom workshop.


.2 Accessory:

- .a purposes accessory to the other permitted purposes.

12.1524.2 The lands shall be subject to the following requirements and restrictions:

- .1 all buildings shall be located within the area shown as BUILDING AREA on Figure 1- Exception 1524;
- .2 minimum front yard depth, rear yard depth and side yard width shall be as shown on Figure 1- Exception 1524;
- .3 the total Gross Leasable Commercial Floor Area of all buildings shall not exceed 3884 square metres;
- .4 Maximum Building Height shall not exceed two storeys;
- .5 Landscaped Open Space shall be provided and maintained in the areas shown as LANDSCAPED OPEN SPACE on Figure 1- Exception 1524;
- .6 the Minimum Number of Parking Spaces to be provided:
 - .a for a supermarket not less than 189 spaces; and,
 - .b for all other permitted uses in accordance with the requirements of section 4.1.
- .7 driveways shall be located as shown on Figure 1- Exception 1524;
- .8 no entertainment appealing to, or designed to appeal to, erotic or sexual appetites or inclinations shall be permitted in a dining room restaurant;
- .9 garbage and refuse containers shall be located only within a building;
- .10 garbage and refuse containers for a dining room restaurant shall be located within a climate controlled area within the buildings; and,
- .11 no outside storage or display of goods shall be permitted
- .12 movie theatres shall only be permitted up to an aggregate maximum of 3 screens and 780 seats.

Figure 1



12.1525 Exception 1525

12.1525.1 The lands shall only be used for the following purposes:

- .1 church, church hall, Sunday school, private school;
- .2 retail establishment with no outside storage;
- .3 a service shop;
- .4 an office, including the office of a physician, dentist or drugless practitioner;
- .5 a dining room restaurant with no adult entertainment;
- .6 a custom workshop;
- .7 a bowling alley;
- .8 a service station, and
- .9 purposes accessory to the other permitted purposes.

12.1525.2 The lands shall be subject to the following requirements and restrictions:

- .1 no vehicular access or egress shall be permitted to or from Highway Number 50.

12.1526 Exception 1526

12.1526.1 The lands shall only be used for the following purposes:

- .1 one dwelling unit;
- .2 a real estate office; and
- .3 an insurance office.

12.1526.2 The lands shall be subject to the following requirements and restrictions:

- .1 the Total Gross Commercial Floor Area used for office purposes shall not exceed 235 square metres;
- .2 the Total Gross Commercial Floor Area used for offices shall not exceed the gross residential floor area of a dwelling unit located on the same lot; and
- .3 parking spaces for the office uses shall be provided in accordance with Section 4.1 of this by-law.

12.1527 Exception 1527

12.1527.1 The lands shall be subject to the following requirements and restrictions:

- .1 shall only be used for the following purposes, subject to the requirements and restrictions relating to the GC zone and all the general provisions of this by-law:
 - .a a gas bar,
 - .b a service station, and
 - .c a motor vehicle washing establishment.

12.1528 Exception 1528

12.1528.1 The lands shall only be used for the following purposes:

- .1 the warehousing and storage of goods and products and materials within an enclosed building;
- .2 the manufacture and assembly of the following products:
 - .a clothing and finished textile or fabric products;
 - .b printing and bookbinding and lithographing;
 - .c die casting involving the use plastics and light metals, including aluminum and zinc;
 - .d light manufacturing of tubing, pipes, tools, and instruments, electrical components, building hardware, telephone, television, radio and electronic components, drugs and pharmaceutical products, cosmetics and associated products;
- .3 beverage and food processing plants excluding any obnoxious uses such as a slaughter house, a fowl killing establishment, blood boiling, bone boiling, animal or fish glue or fertilizer factory, tannery, storage of hides, rags and bones;
- .4 shops for the repair or manufacturing of small goods and wares;
- .5 exhibition and conference halls;
- .6 radio, television broadcasting and transmission facilities;
- .7 research establishment;
- .8 business, professional and administrative offices connected with another permitted purpose;
- .9 any use by a public body of the same general character as the other permitted purposes;
- .10 purposes accessory to the other permitted purposes, including a retail outlet operated in connection with an industrial use located on the site, provided that the total gross floor area of the retail outlet is not more than fifteen percent (15%) of the total gross floor area of the industrial use;
- .11 one dwelling unit, as part of an industrial building, only for the use of a caretaker or night watchman employed in connection therewith.

12.1528.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Front Yard Depth shall be:
 - .a 12 metres for a building 8 metres or less in height above grade,
 - .b 15 metres for a building 10 metres or less but greater than 8 metres in height above grade,
 - .c 18 metres for a building 12 metres or less but greater than 10 metres in height above grade,

- .d 21 metres for a building 15 metres or less but greater than 12 metres in height above grade,
- .e 24 metres for a building greater than 15 metres in height above grade.

.2 Minimum Lot Area shall be 2,000 square metres;

.3 Minimum Side Yard Width shall be:

- .a for a lot width of 50 metres or less: 8 metres,
- .b for a lot with a width greater than 50 metres but less than 100 metres: 8 metres plus 12 percent of the lot width in excess of 50 metres,
- .c for a lot with a width of 100 metres or more: 14 metres.

.4 the Maximum Coverage of buildings and structures shall not exceed fifty percent (50%) of the lot area;

.5 the Minimum Rear Yard Depth shall be 20 metres;

.6 Minimum Landscaped Open Space for a corner or interior lot having an area greater than 1 hectare shall be provided as follows:

- .a 50 percent of the required front yard, and
- .b 50 percent of the required side yard from the required front yard to the rear wall of the rearmost building;

.7 Minimum Landscaped Open Space for a lot having an area of 1 hectare or less shall be provided as follows:

- .a for a corner lot:
 - .i 50 percent of the required front yard;
 - .ii 50 percent of the required exterior side yard, and
 - .iii none required for an interior side yard;
- .b for an interior lot:
 - .i 50 percent of the required front yard, and
 - .ii 50 percent of one required side yard and none for the other side yard;


.8 truck loading facilities are permitted in the front and side yard provided that the landscaping requirements of Exception 1528.2(6) and 1528.2(7) are fulfilled, and

.9 access to a truck loading facility may be from the rear yard, provided that the truck loading facility is located entirely within the building and that loading and unloading occur only within the building;

.10 at least one parking space for each 55 square metres of gross floor area shall be provided on the same lot, and such parking space shall be used only for vehicles of employees, vehicles of customers, and vehicles required in connection with the main use of the lot;

- .11 all operations are to be carried out within buildings, and the height of a building shall not exceed the following, exclusive of mechanical or elevator areas:
 - .a two storeys in height, for manufacturing uses;
 - .b five storeys in height, for office space;
- .12 outside storage of goods, material and equipment shall not be permitted;
- .13 a Landscaped Buffer Area of minimum of 12 metres in width shall be provided and maintained along Airport Road, as shown on Figure 1-Exception 1528.

Figure 1



12m wide Landscaped Buffer Area

ZONE BOUNDARY

12.1529 Exception 1529

12.1529.1 The lands shall only be used for the following purposes:

- .1 the purposes permitted by Exception 1528.1;
- .2 the manufacturing, assembly, storage and distribution of semi-finished and finished products, and a truck terminal;
- .3 dry cleaning plants, laundry and dyeing establishments, excluding any dangerous uses;
- .4 dairy products plants and bakeries;
- .5 a builder's supply yard or a contractor's yard including a repair and assembly shop, but excluding any scrap metal storage or salvage yards;
- .6 any purpose accessory to the other permitted purposes.
- .7 a personal service shop.

12.1529.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Front Yard Depth shall be:
 - .a 12 metres for a building 8 metres or less in height above grade,
 - .b 15 metres for a building 10 metres or less but greater than 8 metres in height above grade,
 - .c 18 metres for a building 12 metres or less but greater than 10 metres in height above grade,
 - .d 21 metres for a building 15 metres or less but greater than 12 metres in height above grade,
 - .e 24 metres for a building greater than 15 metres in height above grade.
- .2 an area of at least 50 percent (50%) of the required front yard shall be landscaped open space free of parking, driveway and paved area.
- .3 the Minimum Lot Area shall be 2,000 square metres;
- .4 Minimum Rear Yard Width shall be 8 metres, except where the rear lot line abuts a railway right-of-way or easement, in which case no rear yard shall be required;
- .5 minimum side yard width shall be 8 metres, except where the side lot line abuts a railway right-of-way or easement, in which case no side yard shall be required;
- .6 an area of at least 50 percent (50%) of the required side yard shall be landscaped open space, free of parking, driveway and pavement;
- .7 truck loading facilities may be located in the front, side or rear yard, provided the landscape requirements of exceptions 1529.2(2) and 1529.2(6) are fulfilled;

- .8 no hydro-electric transformer shall be located within the front yard or closer to the street than any part of the front wall of the building;
- .9 outside storage of goods, material and equipment is permitted subject to the following conditions:
 - .a the storage area shall not be located in the front yard, or in any required side yard which abuts a street, or on any portion of the lot required for parking, and shall not be closer to any side lot line, except in the rear yard, than the required setback for a building, provided, however, that where the rear yard abuts a street, the storage area shall not be located closer to any rear lot line than the required setback for a building from the rear lot line;
 - .b the storage area shall be enclosed by a fence or wall not less than 2.0 metres in height, constructed of metal, wood or masonry, which is effective in screening the storage area from the street, provided that no fence shall be required on the rear lot line where a rear yard abuts a railway right-of-way or easement;
 - .c in addition to requirements of exception 1529.2(9)(b), where the storage area abuts a street, a landscaped strip 3 metres in width, containing plant material with suitable screening characteristics, shall be provided and maintained along the affected property line(s), except where the storage area abuts a railway right-of-way or easement, in which case no landscaping shall be required;
- .10 the provisions of exception 1529.2(9) shall not prevent the display in the open of new products produced in or distributed by an industrial establishment, provided that:
 - .a the total area so used does not exceed five percent (5%) of the lot area, and
 - .b such area is not closer to any street than the minimum distance from the street required for buildings and structures;
- .11 all manufacturing and processing operations other than:
 - .a the moving of goods and materials in and out of buildings and structures;
 - .b associated minor preparatory and finishing work, and
 - .c associated assembly of components too large to be assembled within the buildings and structures,
 - shall be carried out within buildings and structures;
- .12 no building shall have more than four storeys for a manufacturing use or five storeys for an office use, exclusive of mechanical or elevator areas;
- .13 for the purposes permitted by exception 1529.1(1), the parking requirements set out in exception 1528.2(10) shall apply;
- .14 for all other uses, as permitted by exception 1529.1(2) to 1529.1(6), at least one parking space for each 70 square metres of gross floor area shall be provided on the same lot, and such parking spaces shall be used only for the vehicles of employees and customers, and for vehicles required in connection with the main use of the lot.

.15 the Maximum Gross Floor Area of devoted to a personal service shop shall be 145 square metres and parking for a personal service shop shall be provided at a ratio of 1 space per 23 square metres of gross floor area devoted to a personal service shop use.

12.1530 Exception 1530

12.1530.1 The lands shall only be used for the following purposes:

- .1 Residential:
 - .a single detached dwellings;
 - .b semi-detached dwellings;
 - .c street townhouse dwellings; and,
 - .d purposes accessory to the other permitted purposes.
- .2 Non-Residential:
 - .a a home occupation within a single detached dwelling.

12.1530.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Lot Area:
 - .a Single Detached Dwelling:
 - .i Interior Lot: 270 square metres; and,
 - .ii Corner Lot: 360 square metres.
 - .b Semi-Detached Dwelling:
 - .i Interior Lot: 540 square metres per dwelling, and 270 square metres per dwelling unit; and,
 - .ii Corner Lot: 630 square metres per dwelling, and 360 square metres for the dwelling unit closest to the flankage lot line.
 - .c Street Townhouse Dwelling:
 - .i Interior Lot: 185 square metres; and,
 - .ii Corner Lot: 275 square metres.
- .2 Minimum Lot Width:
 - .a Single Detached Dwelling:
 - .i Interior Lot: 9 metres;
 - .ii Corner Lot: 12 metres.
 - .b Semi-Detached Dwelling:
 - .i Interior Lot: 18 metres per dwelling and 9 metres per dwelling unit; and,

- .ii Corner Lot: 21 metres per dwelling and 12 metres for the dwelling unit closes to the flankage lot line.
- .c Street Townhouse Dwelling:
 - .i Interior Lot: 6 metres;
 - .ii Corner Lot: 9 metres.
- .3 Minimum Lot Depth: 30 metres;
- .4 Minimum Front Yard Depth: 6 metres;
- .5 Minimum Interior Side Yard Width:
 - .a Single detached dwelling:
 - .i a side yard other than a side yard abutting a street, public park or walkway may be reduced to zero metres;
 - .ii the minimum distance between detached buildings shall not be less than 2.1 metres;
 - .iii in no event shall the total width of both side yards on any lot be less than 2.1 metres; and,
 - .iv the minimum width of a side yard abutting a public park or walkway or a lot in any other zoning category shall be 1.2 metres for the first storey or part thereof, plus 0.6 metres for each additional storey or part thereof.
 - .b Semi-detached dwelling and townhouse dwelling: 1.2 metres for the first storey or part thereof, plus 0.6 metres for each additional storey or part thereof.
- .6 Minimum Exterior Side Yard Width: 3 metres;
- .7 Minimum Rear Yard Depth: 7.5 metres;
- .8 Maximum Building Height: 10.5 metres;
- .9 Maximum Number of Units in a Townhouse Dwelling: 9 (nine);
- .10 Minimum Landscaped Open Space:
 - .a Single Detached Dwelling: 40 percent of the front yard of an interior lot, 50 percent of the front yard of a corner lot, and 30 percent of the front yard of a lot where the side lot lines converge towards the front lot line;
 - .b Semi-Detached Dwelling: 50 percent of the front yard of an interior lot, 60 percent of the front yard of an exterior lot, or 40 percent of the front yard of a lot where the side lot lines converge towards the front lot line; and,
 - .c Street Townhouse Dwelling: 40 percent of the front yard, except where the side lot lines converge towards the front lot line, where the minimum landscaped open space shall be 30 percent of the front yard.

.11 in the case of a street townhouse dwelling:

- .a the interior unit shall have access from the front yard to the rear yard through a hall, garage or laundry room of the dwelling unit at or near grade level;
- .b where windows or doors are located in the walls facing interior side yards, a minimum distance between buildings of 3 metres shall be provided; and,
- .c Maximum Lot Coverage by buildings: 45 percent of lot area.

12.1531 Exception 1531

12.1531.1 The lands shall only be used for the following purposes:

- .1 shall only be used for the purposes permitted in an R2 zone of this bylaw;

12.1531.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Front Yard Depth: 5.9 metres;
- .2 Minimum Rear Yard Depth: 7.6 metres;
- .3 Minimum Side Yard Width: 1.8 metres where the abutting lot is zoned R1, and 1.2 metres otherwise;
- .4 Off-Street Parking: a minimum of 2 off-street parking spaces shall be provided, one of which shall be in a garage;
- .5 Minimum Landscaped Open Space: 40 percent of lot area;
- .6 Maximum Lot Coverage: 45 percent of lot area;
- .7 Minimum Lot Area: 225 square metres per dwelling unit; and,
- .8 Maximum Number of Dwelling Units: six

12.1532 Exception 1532

12.1532.1 The lands shall only be used for the following purposes:

- .1 shall only be used for the purposes permitted in a RE zone

12.1532.2 The lands shall be subject to the following requirements and restrictions:

- .1 No buildings or structures shall be permitted within 7.6 metres of the rear lot line.

12.1533 Exception 1533

12.1533.1 The lands shall only be used for the following purposes:


.1 shall only be used for the purposes permitted in an GE - Exception 1511 zone by section 1511.1.

12.1533.2 The lands shall be subject to the following requirements and restrictions:

.1 Landscaped open space with a minimum width of 2.1 metres abutting the flankage lot line, and with a minimum width of 4.6 metres abutting the rear lot line, shall be provided and maintained in the area shown as Landscaped Open Space on Figure 1 - Exception 1533.

.2 A solid opaque fence with a minimum height of 2.4 metres shall be erected and maintained along the flankage lot line within the area shown as Landscaped Open Space on Figure 1 - Exception 1533.

Figure 1



12.1534 Exception 1534

12.1534.1 The lands shall only be used for the following purposes:

- .1 purposes permitted in a RE zone;
- .2 a landscaping business as a home occupation;
- .3 a tree farm.


12.1534.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum lot area: 5.6 hectares
- .2 Minimum lot width: 105 metres
- .3 all buildings and structures shall be located within the area shown as BUILDING AREA on Figure 1 - Exception 1534.

12.1534.3 for the purposes of exception 1534:

- .1 Tree Farm shall mean an area of land used for the growth and storage of trees, vegetation and landscaping materials.
- .2 Landscaping Business as A Home Occupation shall mean the use of land for the purpose of operating a landscaping business from a single detached dwelling, and for the storage of equipment used in connection therewith, but shall not include the retail sale of plants, gardening supplies, and related goods and materials.

Figure 1



12.1535 Exception 1535

12.1535.1 The lands shall only be used for the following purposes:


- .1 an apartment dwelling, and
- .2 purposes accessory to the other permitted purpose

12.1535.2 The lands shall be subject to the following requirements and restrictions:

- .1 an apartment dwelling shall be permitted only in each BUILDING AREA as shown on Figure 1 - Exception 1535;
- .2 minimum front yard depth, side yard width and rear yard depth of an apartment dwelling shall be not less than that shown on Figure 1 - Exception 1535;
- .3 Minimum Distance between apartment dwellings located in BUILDING AREAS B and C shall be as shown on Figure 1 - Exception 1535;
- .4 an apartment dwelling shall not exceed a height of 12 storeys or 34.75 metres, whichever is lesser;
- .5 the Maximum Number of Dwelling Units shall not exceed 111.2 units per hectare;
- .6 an apartment dwelling shall not contain more than a total of 138 dwelling units, with no more than 33 three bedroom dwelling units; with no more than 92 two bedroom dwelling units, and the remainder shall be one bedroom dwelling units;
- .7 an underground parking garage and ramp shall only be permitted in each UNDERGROUND PARKING GARAGE AREA as shown on Figure 1 - Exception 1535;
- .8 a maximum of 10 percent of the total number of parking spaces in the underground parking garage for the apartment dwelling within Building Area A and in the underground parking garage for the apartment dwellings within Building Areas B and C may be tandem parking spaces:
 - .a each underground parking garage and ramp shall be provided with the minimum front yard depth, side yard width and rear yard depth as shown on Figure 1 - Exception 1535;
 - .b landscaped open space shall be provided and maintained in the locations shown on Figure 1 - Exception 1535;
- .9 the loading area for each apartment dwelling shall be permitted only in the SERVICE AREA as shown on Figure 1 - Exception 1535;

Figure 1

.0

[Click here to return to page one](#)

12.1536 Exception 1536


12.1536.1 The lands shall only be used for the following purposes:

- .1 Industrial
 - .a dry industrial uses;
 - .b a printing establishment; and,
 - .c a parking lot
- .2 Non-Industrial
 - .a a radio or television broadcasting and transmission establishment;
 - .b a furniture and appliance store;
 - .c a recreation facility or structure, excluding water oriented or water based activities; and,
 - .d an office use, excluding offices uses for: medical, health care practitioners, dental practitioners, and administrative offices of school boards and governments, shall be permitted to a maximum gross floor area of 575.3 square metres, for three abutting units of which the closest wall shall not be more than 10 metres from Brewster Road.
- .3 Accessory
 - .a purpose accessory to the other permitted purposes.

12.1536.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Lot Area: 0.8 hectares
- .2 Minimum Lot Width: 35 metres
- .3 Maximum Lot Coverage by all buildings and structures: 35% of the lot area
- .4 Maximum Building Height: 10 metres
- .5 Landscaped Open Space shall be provided and maintained in the areas shown as Landscaped Open Space on Figure 1 – Exception 1536
- .6 no outside storage or display of goods, materials or machinery shall be permitted
- .7 no loading spaces or areas may be located in yards abutting Highway 7

Figure 1



12.1537 Exception 1537

12.1537.1 The lands shall only be used for the following purposes:

- .1 Commercial
 - .a a dining room restaurant, a convenience restaurant, a take-out restaurant;
 - .b a service station;
 - .c a motor vehicle washing establishment
 - .d only in conjunction with a non-commercial operation permitted in Exception 1537.1(2), a corporate office building;
 - .e only in conjunction with an industrial mall, an office use, but excluding a real estate office or an office for medical, health care, or dental practitioners, or for accredited or licensed professionals such as accountants, architects, engineers, financial advisors, insurance agents/brokers, landscape architects, lawyers, real estate agents/ brokers/appraisers, and urban planners;
 - .f only in conjunction with an industrial mall;
 - .i a retail establishment, having no outside storage and excluding a supermarket;
 - .ii a service shop;
 - .iii a health centre;
 - .iv a custom workshop;
 - .v a day nursery;
 - .vi a dry cleaning and laundry establishment
 - .vii a religious institution, including an associated place of public assembly;
 - .viii a crisis care facility;
 - .ix a bank, trust company or financial institution;
 - .x a banquet facility; and
 - .xi a commercial, technical or recreational school.
- .2 Non-Commercial
 - .a the manufacturing, cleaning, packaging, processing, repairing or assembly of goods, foods or materials within an enclosed building, but excluding a motor vehicle repair shop and a motor vehicle body shop as a principal or accessory use;
 - .b a warehouse;

- .c a community club;
- .d a radio or television broadcasting and transmission establishment;
- .e an animal hospital;
- .f a recreation facility or structure; and
- .g a printing establishment

.3 Accessory

- .a an ancillary educational purpose;
- .b an ancillary office use operated in connection with a particular purpose permitted by Exception 1537.1(2), provided that the total gross floor area of the office is not more than 50 percent of the total gross floor area of the particular industrial use;
- .c an ancillary retail outlet operated in connection with a particular use permitted by Exception 1537.1(2), provided that the total gross floor area of the retail outlet is not more than 15 percent of the total gross floor area of the particular use; and,
- .d purposes accessory to the other permitted uses.

12.1537.2 The lands shall be subject to the following requirements and restrictions:

- .1 no more than two restaurant uses shall be permitted;
- .2 Maximum Gross Commercial Floor Area devoted to the restaurant uses permitted in Exception 1537.1(1)(a) shall not exceed 511.0 square metres in total, and with no individual restaurant exceeding 279.0 square metres of gross leasable floor area;
- .3 Maximum Gross Commercial Floor Area devoted to the office uses permitted in Exception 1537.1(1)(e) shall be restricted to 5% of the gross floor area of the entire building, to a maximum of 465 square metres;
- .4 Maximum Gross Commercial Floor Area devoted to the commercial and institutional uses permitted in Exception 1537.1(1)(f) shall be restricted to 5% of the gross floor area of the entire building to a maximum of 465 square metres;
- .5 Landscaped Open Space having minimum widths of 9.0 metres, 4.0 metres, and 3.0 metres shall be provided and maintained along Airport Road, Intermodal Drive, and Devon Road, respectfully, except at approved driveway locations;
- .6 the Minimum Building Setbacks to Airport Road, Intermodal Drive, and Devon Road shall be 15.0 metres, 15.0 metres, and 6.0 metres respectfully;
- .7 an adult entertainment parlour, an adult video store or adult book store shall not be permitted;
- .8 all garbage and refuse storage, other than restaurant refuse storage, but including any containers for recyclable materials shall be enclosed;

.9 for those non-commercial uses permitted in Exception 1537.1(2) and (3), the requirements and restrictions as set out in a PE zone.

12.1538 Exception 1538

12.1538.1 The lands shall only be used for the following purposes:

.1 shall only be used for the purposes permitted by PE Zone of this by-law.

12.1538.2 The lands shall be subject to the following requirements and restrictions:

.1 Minimum Front Yard Depth shall be:

- .a 12 metres for a building 8 metres or less in height above grade,
- .b 15 metres for a building 10 metres or less but greater than 8 metres in height above grade,
- .c 18 metres for a building 12 metres or less but greater than 10 metres in height above grade,
- .d 21 metres for a building 15 metres or less but greater than 12 metres in height above grade,
- .e 24 metres for a building greater than 15 metres in height above grade.

.2 Minimum Lot Area shall be 2,000 square metres;

.3 Minimum Side Yard Width shall be:

- .a for a lot with a width of 50 metres or less: 8 metres,
- .b for a lot with a width greater than 50 metres but less than 100 metres: 8 metres plus 12 percent of the lot width in excess of 50 metres,
- .c for a lot with a width of 100 metres or more: 14 metres.

.4 the Maximum Coverage of buildings and structures shall not exceed fifty percent (50%) of the lot area;

.5 the Minimum Rear Yard Depth shall be 20 metres;

.6 Minimum Landscaped Open Space for a corner or interior lot having an area greater than 1 hectare shall be provided as follows:

- .a 50 percent of the required front yard, and
- .b 50 percent of the required side yard from the required front yard to the rear wall of the rearmost building;

.7 Minimum Landscaped Open Space for a lot having an area of 1 hectare or less shall be provided as follows:

- .a for a corner lot:
 - .i 50 percent of the required front yard;
 - .ii 50 percent of the required exterior side yard, and

- .iii none required for an interior side yard;
- .b for an interior lot:
 - .i 50 percent of the required front yard, and
 - .ii 50 percent of the required side yard and none for the other side yards;
- .8 truck loading facilities are permitted in the front and side yard provided that the landscaping requirements of Exception 1538.2(6) and 1538.2(7) are fulfilled, and
- .9 access to a truck loading facility may be from the rear yard, provided that the truck loading facility is located entirely within the building and that loading and unloading occur only within the building;
- .10 all operations are to be carried out within buildings, and the height of a building shall not exceed the following, exclusive of mechanical or elevator areas:
 - .a two storeys in height, for manufacturing uses;
 - .b five storeys in height, for office space;
- .11 outside storage of goods, material and equipment shall not be permitted;
- .12 a Landscaped Buffer Area, a minimum of 12 metres in width, shall be provided and maintained along the rear lot line where it abuts Airport Road or a 0.3 metre reserve abutting Airport Road.

12.1539 Exception 1539**12.1539.1 The lands shall only be used for the following purposes:**

- .1 shall only be used for the purposes permitted by GE Zone of this by-law, but excluding any scrap metal storage or salvage yards.

12.1539.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Front Yard Depth shall be:
 - .a 12 metres for a building 8 metres or less in height above grade,
 - .b 15 metres for a building 10 metres or less but greater than 8 metres in height above grade,
 - .c 18 metres for a building 12 metres or less but greater than 10 metres in height above grade,
 - .d 21 metres for a building 15 metres or less but greater than 12 metres in height above grade,
 - .e 24 metres for a building greater than 15 metres in height above grade.
- .2 an area of at least 50 percent (50%) of the required front yard shall be landscaped open space free of parking, driveway and paved area;
- .3 the Minimum Lot Area shall be 2,000 square metres;
- .4 Minimum Rear Yard Width shall be 8 metres, except where the rear lot line abuts a railway right-of-way or easement, in which case no rear yard shall be required;
- .5 minimum side yard width shall be 8 metres, except where the side lot line abuts a railway right-of-way or easement, in which case no side yard shall be required;
- .6 an area of at least 50 percent (50%) of the required side yard shall be landscaped open space, free of parking, driveway and pavement;
- .7 truck loading facilities may be located in the front, side or rear yard, provided the landscape requirements of Exception 1539.2(2) and Exception 1539.2(6) are fulfilled
- .8 no hydro-electric transformer shall be located within the front yard or closer to the street than any part of the front wall of the building;
- .9 outside storage of goods, material and equipment is permitted subject to the following conditions:
 - .a the storage area shall not be located in the front yard, or in any required side yard which abuts a street, or on any portion of the lot required for parking, and shall not be closer to any side lot line, except in the rear yard, than the required setback for a building, provided, however, that where the rear yard abuts a street, the storage area shall not be located closer to any rear lot line than the required setback for a building from the rear lot line;
 - .b the storage area shall be enclosed by a fence or wall not less than 2.0 metres in height, constructed of metal, wood or masonry, which is effective in screening the storage area

from the street, provided that no fence shall be required on the rear lot line where a rear yard abuts a railway right-of-way or easement;

.c in addition to requirements of Exception 1539.2(9)(b), where the storage area abuts a street, a landscaped strip 3 metres in width, containing plant material with suitable screening characteristics, shall be provided and maintained along the affected property line(s), except where the storage area abuts a railway right-of-way or easement, in which case no landscaping shall be required;

.10 the provisions of Exception 1539.2(9) shall not prevent the display in the open of new products produced in or distributed by an industrial establishment, provided that:

.a the total area so used does not exceed five percent (5%) of the lot area, and

.b such area is not closer to any street than the minimum distance from the street required for buildings and structures;

.11 all manufacturing and processing operations other than:

.a the moving of goods and materials in and out of buildings and structures;

.b associated minor preparatory and finishing work, and

.c associated assembly of components too large to be assembled within the buildings and structures,

shall be carried out within buildings and structures;

.12 no building shall have more than four storeys for a manufacturing use or five storeys for an office use, exclusive of mechanical or elevator areas;

12.1540 Exception 1540

12.1540.1 The lands shall only be used for the following purposes:

- .1 the growth, maintenance and conservation of grass, flowers, trees and shrubs and other vegetation, and may include a surface walk, patio, driveway, retaining wall, screening fence or similar facility, and
- .2 purposes accessory to the other permitted purposes.

12.1540.2 The lands shall be subject to the following requirements and restrictions:

- .1 no buildings other than structures of a public authority, and no fence, screen, net, retaining wall, or similar facility or structure shall be permitted without the approval of the Toronto and Region Conservation Authority.

12.1542 Exception 1542

12.1542.1 The lands shall only be used for the following purposes:

- .1 shall only be used for the purposes permitted in an R1 zone of this by-law;

12.1542.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Lot Area: 450 square metres;
- .2 Minimum Lot Depth: 30 metres;
- .3 Minimum Lot Width: 15 metres;
- .4 Minimum Front Yard Depth: 3 metres;
- .5 Minimum Rear Yard Depth: 1.2 metres for the first storey or part thereof, plus 0.6 metres for each additional storey or part thereof;
- .6 Exterior Side Yard Width:
 - .a to main wall of building: 3 metres; and,
 - .b to front of garage or carport: 6 metres.
- .7 Interior Side Yard Width: 7.5 metres; and,
- .8 Minimum Landscaped Open Space: 60 percent of the front yard space.

12.1543 Exception 1543


12.1543.1 The lands shall only be used for the following purposes:

- .1 metal recycling plant;
- .2 metal fabrication plant, and
- .3 purposes accessory to the other permitted purposes.

12.1543.2 The lands shall be subject to the following requirements and restrictions:

- .1 the minimum front, rear and side yard depths and widths shall be as shown on Figure 1 -Exception 1543;
- .2 all buildings shall be located within the area shown as Building Area on Figure 1 - Exception 1543;
- .3 outside storage area shall be located within the area shown as Outside Storage Area on Figure 1 - Exception 1543;
- .4 Building Area shown as Phase II and Phase III may be used for outside storage purposes until the Area is occupied by a building;
- .5 no outside storage shall be permitted until:
 - .a a building is erected within the location shown as Phase I on Figure 1 - Exception 1543 to create a visual screen, and
 - .b a visual screen encloses the outside storage area, which visual screen shall comprise a wall on a landscaped earth berm and a wall respectively located within the areas shown as Earth Berm and Wall Visual Screen and Wall Visual Screen on Figure 1 - Exception 1543;
- .6 the visual screen shall be erected and maintained with a minimum height of 6.1 metres, except for permitted gate openings, where the minimum height of the gate shall be 3 metres;
- .7 gate openings shall be located as shown on Figure 1- Exception 1543;
- .8 outside storage shall not exceed a height of 6.1 metres;
- .9 all buildings shall have a minimum height of 7.5 metres and shall not have more than 2 storeys;
- .10 the Gross Industrial Floor Area of all buildings shall not exceed 11,150 square metres;
- .11 Landscaped Open Space shall be provided and maintained in the locations as shown on Figure 1 - Exception 1543, and
- .12 truck parking and automobile parking shall be permitted in the required front yard, but no motor vehicle shall be permitted to occupy a required yard area for a continuous period exceeding 24 hours.

Figure 1



LEGEND

	BUILDING AREA		EARTH BERM AND WALL VISUAL SCREEN
	LANDSCAPED OPEN SPACE		WALL VISUAL SCREEN
	OUTSIDE STORAGE AREA		
	GATE OPENING		
	ZONE BOUNDARY		

12.1545 Exception 1545

12.1545.1 The lands shall only be used for the following purposes:

- .1 a single detached dwelling, and
- .2 a group home, and
- .3 purposes accessory to the other permitted purposes.

12.1545.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Lot Area: 0.4 hectares

12.1546 Exception 1546

12.1546.1 The lands shall only be used for the following purposes:

- .1 the manufacturing, cleaning, packaging, processing, repairing or assembly of goods, foods or materials within an enclosed building, but excluding a motor vehicle repair shop and a motor vehicle body shop as a principal use;
- .2 a contractor's yard involving the storage of goods and materials in the open;
- .3 an office accessory to the permitted industrial uses;
- .4 a warehouse;
- .5 a parking lot; and,
- .6 purposes accessory to the other permitted purposes.

12.1546.2 The lands shall be subject to the following requirements and restrictions:

- .1 Maximum Gross Floor Area of all buildings and structures: 5,250 square metres;
- .2 Maximum Building Height: 2 storeys;
- .3 Minimum Rear Yard Depth: 14 metres;
- .4 Minimum Landscaped Open Space requirements:
 - .a 5 metres abutting the front lot line, except at approved access points
 - .b 7.5 metres abutting the rear lot line
 - .c 3.0 metres abutting the interior side lot lines
- .5 maximum area for outdoor storage: 3,500 square metres

12.1547 Exception 1547

12.1547.1 The lands shall only be used for the following purposes:

- .1 a religious institutions;
- .2 a parsonage; and,
- .3 purposes accessory to the other permitted purposes.

12.1547.2 The lands shall be subject to the following requirements and restrictions:

- .1 the Gross Floor Area of all buildings and structures shall not exceed 2090.0 square metres;
- .2 the Maximum Height of all buildings shall not exceed 11.0 metres;
- .3 Minimum Front Yard Depth: 25.0 metres;
- .4 Minimum Side Yard Width: 15.0 metres; and
- .5 Landscaped Open Space, a minimum of 6.0 metres in width, shall be provided and maintained along the front lot line except at approved access point(s).

12.1547.3 for the purposes of Exception 1547:

- .1 Gross Floor Area means the aggregate of the areas of each storey, at, above, or below established grade, measured from the exterior of the outside walls, but excluding any parts of the building used for mechanical equipment, stairwells, elevators, or any part of the building below established grade used for storage purposes.
- .2 Parsonage shall mean a dwelling provided for a clergyman by a religious institution.

12.1548 Exception 1548

12.1548.1 The lands shall only be used for the following purposes:

- .1 the warehousing and storage of goods and products and materials within an enclosed building;
- .2 the manufacture and assembly of the following products:
 - .a clothing and finished textile or fabric products;
 - .b printing and bookbinding and lithographing;
 - .c die castings involving the use of plastics and light metals including aluminum and zinc;
 - .d light manufacturing of tubing, pipes, tools, instruments, electrical components, building hardware; telephone, television, radio and electronic components, drugs and pharmaceutical products, cosmetics and associated products;
- .3 shops for the repair or manufacturing of small goods and wares;
- .4 business, professional and administrative offices connected with another permitted purpose;
- .5 exhibition and conference halls;
- .6 radio, television broadcasting and transmission facilities;
- .7 one dwelling unit, as part of an industrial building, only for the use of a caretaker or night watchman employed in connection therewith;
- .8 any use by a public body of the same general character as the other permitted purposes;
- .9 purposes accessory to the other permitted purposes, including a retail outlet operated in connection with an industrial use located on the site, provided that the total gross floor area of the retail outlet is not more than fifteen percent (15%) of the total gross floor area of the industrial use.

12.1548.2 The lands shall be subject to the following requirements and restrictions:


- .1 Minimum Front Yard Depth: 20 metres
- .2 Minimum Lot Area: 2,000 square metres
- .3 Minimum Side Yard on either side of the building constructed
 - .a for a lot width of 50 metres or less: 8 metres,
 - .b for a lot with a width greater than 50 metres but less than 100 metres: 8 metres plus 12 percent of the lot width in excess of 50 metres,
 - .c for a lot width of 100 metres or more: 14 metres
- .4 Maximum Coverage of buildings and structures: 50 percent of the lot area

- .5 Minimum Rear Yard Depth: 20 metres
- .6 the required front yard, and all required side yards, from the front lot line to the rear wall of the rearmost building, shall be landscaped as follows:
 - .a the minimum landscaped open space for a corner or interior lot having an area greater than 1 hectare shall be provided as follows:
 - .i 50 percent of the required front yard, and
 - .ii 50 percent of the required side yard from the required front yard to the rear wall of the rearmost building;
 - .b the minimum landscaped open space for a lot having an area of 1 hectare or less shall be provided as follows:
 - .i for a corner lot:
 - 1. 50 percent of the required front yard;
 - 2. 50 percent of the required exterior side yard, and
 - 3. none required for an interior side yard;
 - .ii for an interior lot:
 - 1. 50 percent of the required front yard, and
 - 2. 50 percent of one required side yard and none for the other side yard;
- .7 a Landscaped Buffer Strip of a minimum of 12 metres in width shall be provided and maintained along Airport Road, Williams Parkway and the proposed Arterial Road, as shown on Figure 1 - Exception 1548.
- .8 no outdoor truck loading facilities are permitted in the front yard;
 - .a if the building depth is less than 60 metres, no outdoor truck loading facilities are permitted within the front half of the building depth; and
 - .b if the building depth is greater than 60 metres, no outdoor truck loading facilities are permitted within the first 30 metres of the building depth;
- .9 at least one parking space for each 55 square metres of gross floor area shall be provided on the same lot, and such parking space shall be used only for vehicles of employees, vehicles of customers, and vehicles required in connection with the main use of the lot;
- .10 all operations are to be carried out within buildings, and the height of a building shall not exceed the following, exclusive of mechanical or elevator areas:
 - .a two storeys in height, for manufacturing uses;
 - .b five storeys in height, for office space;
- .11 outside storage of goods, material and equipment shall not be permitted, and

12.1548.3 for the purposes of Exception 1548:

- .1 shall also be subject to the requirements and restrictions related to the PE zone, and all the general provisions of this by-law, which are not in conflict with those set out in Exception 1548.2.

Figure 1



12.1549 Exception 1549

12.1549.1 The lands shall only be used for the following purposes:

.1 shall only be used for the following purposes permitted by PE Zone of this by-law.

12.1549.2 The lands shall be subject to the following requirements and restrictions:

.1 Minimum Front Yard Depth shall be:

- .a 12 metres for a building 8 metres or less in height above grade,
- .b 15 metres for a building 10 metres or less but greater than 8 metres in height above grade,
- .c 18 metres for a building 12 metres or less but greater than 10 metres in height above grade,
- .d 21 metres for a building 15 metres or less but greater than 12 metres in height above grade,
- .e 24 metres for a building greater than 15 metres in height above grade.

.2 Minimum Lot Area shall be 2,000 square metres;

.3 Minimum Side Yard Width shall be:

- .a for a lot with a width of 50 metres or less: 8 metres,
- .b for a lot with a width greater than 50 metres but less than 100 metres: 8 metres plus 12 percent of the lot width in excess of 50 metres,
- .c for a lot width of 100 metres or more: 14 metres

.4 the Maximum Coverage of buildings and structures shall not exceed fifty percent (50%) of the lot area;

.5 the Minimum Rear Yard Depth shall be 20 metres;

.6 the minimum landscaped open space for a corner or interior lot having an area greater than 1 hectare shall be provided as follows:


- .a 50 percent of the required front yard, and
- .b 50 percent of the required side yard from the required front yard to the rear wall of the rearmost building;

.7 the minimum landscaped open space for a lot having an area of 1 hectare or less shall be provided as follows:

- .a for a corner lot:
 - .i 50 percent of the required front yard;
 - .ii 50 percent of the required exterior side yard, and

- .iii none required for an interior side yard;
- .b for an interior lot:
 - .i 50 percent of the required front yard, and
 - .ii 50 percent of one required side yard and none for the other side yard;
- .8 truck loading facilities are permitted in the front and side yard provided that the landscaping requirements of Exception 1549.2(6) and 1549.2(7) are fulfilled, and
- .9 access to a truck loading facility may be from the rear yard, provided that the truck loading facility is located entirely within the building and that loading and unloading occur only within the building;
- .10 all operations are to be carried out within buildings, and the height of a building shall not exceed the following, exclusive of mechanical or elevator areas:
 - .a two storeys in height, for manufacturing uses;
 - .b five storeys in height, for office space;
- .11 outside storage of goods, material and equipment shall not be permitted, and
- .12 a landscaped buffer area of a minimum of 12 metres in width shall be provided and maintained along Airport Road and Highway Number 407 right-of-way, as shown on Figure 1 - Exception 1549.

Figure 1



12m Wide Landscaped Buffer Area

12.1550 Exception 1550

12.1550.1 The lands shall only be used for the following purposes:

.1 shall only be used for the purposes permitted by GE Zone of this by-law, but excluding any scrap metal storage or salvage yards.

12.1550.2 The lands shall be subject to the following requirements and restrictions:

.1 Minimum Front Yard Depth shall be:

- .a 12 metres for a building 8 metres or less in height above grade,
- .b 15 metres for a building 10 metres or less but greater than 8 metres in height above grade,
- .c 18 metres for a building 12 metres or less but greater than 10 metres in height above grade,
- .d 21 metres for a building 15 metres or less but greater than 12 metres in height above grade,
- .e 24 metres for a building greater than 15 metres in height above grade.

.2 an area of at least 50 percent (50%) of the required front yard shall be landscaped open space free of parking, driveway and paved area;

.3 the Minimum Lot Area shall be 2,000 square metres;

.4 Minimum Rear Yard Width shall be 8 metres, except where the rear lot line abuts a railway right-of-way or easement, in which case no rear yard shall be required;

.5 minimum side yard width shall be 8 metres, except where the side lot line abuts a railway right-of-way or easement, in which case no side yard shall be required;

.6 an area of at least 50 percent (50%) of the required side yard shall be landscaped open space, free of parking, driveway and pavement;

.7 truck loading facilities may be located in the front, side or rear yard, provided the landscape requirements of Exception 1550.2(2) and 1550.2(6) are fulfilled;

.8 no hydro-electric transformer shall be located within the front yard or closer to the street than any part of the front wall of the building;

.9 outside storage of goods, material and equipment is permitted subject to the following conditions:

- .a the storage area shall not be located in the front yard, or in any required side yard which abuts a street, or on any portion of the lot required for parking, and shall not be closer to any side lot line, except in the rear yard, than the required setback for a building, provided, however, that where the rear yard abuts a street, the storage area shall not be located closer to any rear lot line than the required setback for a building from the rear lot line;
- .b the storage area shall be enclosed by a fence or wall not less than 2.0 metres in height, constructed of metal, wood or masonry, which is effective in screening the storage area

from the street, provided that no fence shall be required on the rear lot line where a rear yard abuts a railway right-of-way or easement;

.c in addition to requirements of Exception 1550.2(9)(b), where the storage area abuts a street, a landscaped strip 3 metres in width, containing plant material with suitable screening characteristics, shall be provided and maintained along the affected property line(s), except where the storage area abuts a railway right-of-way or easement, in which case no landscaping shall be required;

.10 the provisions of Exception 1550.2(9) shall not prevent the display in the open of new products produced in or distributed by an industrial establishment, provided that:

.a the total area so used does not exceed five percent (5%) of the lot area, and

.b such area is not closer to any street than the minimum distance from the street required for buildings and structures;

.11 all manufacturing and processing operations other than:

.a the moving of goods and materials in and out of buildings and structures;

.b associated minor preparatory and finishing work, and

.c associated assembly of components too large to be assembled within the buildings and structures,

shall be carried out within buildings and structures;

.12 no building shall have more than four storeys for a manufacturing use or five storeys for an office use, exclusive of mechanical or elevator areas.

12.1551 Exception 1551

12.1551.1 The lands shall only be used for the following purposes:

- .1 Purposes permitted in OS zone and
- .2 Flood and erosion control

12.1552 Exception 1552

12.1552.1 The lands shall only be used for the following purposes:

- .1 purposes permitted by an PE zone;
- .2 offices;
- .3 bank, trust company or finance company, and
- .4 purposes accessory to the other permitted purposes.

12.1552.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Front Yard Depth: 9 metres
- .2 Minimum Lot Width: 60 metres
- .3 Minimum Lot Area: 2 hectares
- .4 Minimum Street Line Setback:
 - .a from Airport Road: 46 metres
 - .b from Highway No. 407 right-of-way: 46 metres
 - .c from any other street: 15 metres
- .5 Maximum Lot Coverage by all buildings and structures: 25 percent of the lot area
- .6 Maximum Building Height: 7 storeys
- .7 Minimum Landscaped Open Space Width, except where a driveway is permitted:
 - .a abutting Airport Road: 9 metres
 - .b abutting Highway No. 407 right-of-way: 9 metres
 - .c abutting any other road: 3 metres
- .8 no outside storage of goods, materials or machinery shall be permitted.
- .9 no building or structures shall be located closer than 13.7 metres to any lands zoned A.

12.1553 Exception 1553

12.1553.1 The lands shall only be used for the following purposes:

- .1 offices;
- .2 bank, trust company or finance company;
- .3 retail establishment;
- .4 personal service shop;
- .5 dry cleaning and laundry establishment;
- .6 dining room restaurant;
- .7 convenience restaurant;
- .8 take-out restaurant;
- .9 grocery store;
- .10 community club;
- .11 health and fitness club;
- .12 purposes permitted by an PE zone, and
- .13 purposes accessory to the other permitted purposes.

12.1553.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Front Yard Depth: 9 metres
- .2 Minimum Lot Width: 45 metres
- .3 Minimum Lot Area: 0.75 hectares
- .4 Minimum Street Line Setback:
 - .a from Steeles Avenue: 46 metres
 - .b from any other road: 15 metres
- .5 Maximum Lot Coverage by all buildings and structures: 25 percent of the lot area
- .6 Maximum Building Height: 2 storeys
- .7 Minimum Landscaped Open Space Width, except where a driveway is permitted:
 - .a abutting Steeles Avenue: 12 metres
 - .b abutting any other road: 3 metres

.8 no outside storage of goods, materials or machinery shall be permitted.

12.1554 Exception 1554

12.1554.1 The lands shall only be used for the following purposes:

- .1 purposes permitted by an PE zone.

12.1554.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Front Yard Depth: 9 metres
- .2 Minimum Lot Width: 60 metres
- .3 Minimum Lot Area: 3.0 hectares
- .4 Minimum Street Line Setback:
 - .a from the Highway No. 407 right-of-way: 46 metres
 - .b abutting any other road: 15 metres
- .5 Maximum Lot Coverage by all buildings and structures: 35 percent of the lot area
- .6 Maximum Building Height: 2 storeys
- .7 Minimum Landscaped Open Space Width, except where a driveway is permitted:
 - .a abutting the Highway No. 407 right-of-way: 9 metres
 - .b abutting any other road: 3 metres
- .8 no outside storage of goods, materials or machinery shall be permitted.
- .9 no buildings or structures shall be located closer than 13.7 metres to any lands zoned A.

12.1555 Exception 1555

12.1555.1 The lands shall only be used for the following purposes:

- .1 the manufacturing, cleaning, packaging, processing, repairing or assembly of goods, foods or materials within an enclosed building, but not any use which is obnoxious by reason of noise or vibration created or the emission of dust, dirt, objectionable odours or gases;
- .2 a warehouse;
- .3 furniture and appliance store;
- .4 retail establishment;
- .5 health and fitness club;
- .6 community club;
- .7 garden Centre sales establishment;
- .8 one only convenience restaurant with drive-through facility, and
- .9 purposes accessory to the other permitted purposes.

12.1555.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Front Yard Depth: 15 metres
- .2 Minimum Lot Width: 60 metres
- .3 Minimum Lot Area: 2.0 hectares
- .4 Minimum Street Line Setback:
 - .a from Steeles Avenue: 46 metres
 - .b from Highway No. 407 right-of-way: 46 metres
 - .c from any other road: 15 metres
- .5 Maximum Lot Coverage by all buildings and structures: 35 percent of the lot area
- .6 Maximum Building Height: 13.7 metres
- .7 Minimum Landscaped Open Space Width, except where a driveway is permitted:
 - .a abutting Steeles Avenue: 15 metres
 - .b abutting Highway No. 407 right-of-way: 15 metres
 - .c abutting any other road: 3 metres
- .8 no outside storage of goods, materials or machinery shall be permitted.

.9 drive-through facilities for convenience restaurants shall comply with the following:

- .a the drive-through facility must be effectively separated from the parking area;
- .b the stacking lane must be clearly identified;
- .c the stacking lane must be located behind the pick-up windows and must accommodate a minimum of 10 cars;
- .d the entrance to a stacking lane must be not less than 6.0 metres from the street line, and
- .e the access points must be located so as to minimize the impact of the stacking lane on the internal traffic circulation.

12.1556 Exception 1556

12.1556.1 The lands shall only be used for the following purposes:

- .1 shall only be used for the purposes permitted by RE Zone

12.1556.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Lot Width: 68 metres
- .2 Minimum Lot Area:
 - .a for Lot A: 0.55 hectare
 - .b for Lot B: 0.57 hectare

12.1557 Exception 1557

12.1557.1 The lands shall only be used for the following purposes:

- .1 the warehousing and storage of goods and products and materials within an enclosed building;
- .2 the manufacture and assembly of the following products:
 - .a clothing and finished textile or fabric products;
 - .b printing, bookbinding and lithographing;
 - .c die castings involving the use of plastics and light metals including aluminum and zinc;
 - .d light manufacturing of tubing, pipes, tools and instruments, electrical components, building hardware, telephone, television, radio and electronic components, drugs and pharmaceutical products, cosmetics and associated products;
- .3 beverage and food processing plants, excluding any obnoxious uses such as a slaughter house, a fowl killing establishment, blood boiling, bone boiling, animal or fish glue or fertilizer factory, tannery, storage of hides, rags and bones;
- .4 shops for the repair or manufacturing of small goods and wares;
- .5 exhibition and conference halls;
- .6 radio, television broadcasting and transmission facilities;
- .7 research establishment;
- .8 business, professional and administrative offices connected with another permitted purpose;
- .9 any use by a public body of the same general character as the other permitted purposes;
- .10 purposes accessory to the other permitted purposes, including a retail outlet operated in connection with an industrial use, provided that the total gross floor area of the retail outlet is not more than fifteen (15%) of the total gross floor area of the industrial use, and
- .11 one dwelling unit, as part of an industrial building, only for the use of a caretaker or night watchman employed in connection therewith.

12.1557.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Front Yard Depth shall be:
 - .a 12 metres for a building less than 8 metres in height above grade,
 - .b 15 metres for a building less than 10 metres but greater than 8 metres in height above grade,
 - .c 18 metres for a building less than 12 metres but greater than 10 metres in height above grade,

- .d 21 metres for a building less than 15 metres but greater than 12 metres in height above grade,
- .e 24 metres for a building greater than 15 metres in height above grade.

.2 the Minimum Lot Area shall be 2,000 square metres;

.3 the Minimum Side Yard Width on each side of a building shall be:

- .a 8 metres for a lot with frontage of 50 metres or less;
- .b 8 metres plus 12% of the lot width in excess of 50 metres.

.4 the Maximum Coverage of buildings and structures shall not exceed fifty percent (50%) of the lot area;

.5 the Minimum Rear Yard Depth shall be 20 metres;

.6 the Minimum Landscaped Open Space for a corner lot or interior lot having an area greater than 1 hectare shall be provided as follows:

- .a 50% of the required front yard,
- .b 50% of the required side yard from the required front yard to the rear wall of the rear most building.

.7 the Minimum Landscaped Open Space for a lot having an area of 1 hectare or less shall be provided as follows:

- .a for a corner lot:
 - .i 50% of the required front yard,
 - .ii 50% of one required side yard, none for the other side yard.
 - .iii none required for an interior side yard.
- .b for an interior lot:
 - .i 50% of the required front yard,
 - .ii 50% of one required side yard, none for the other side yard.

.8 truck loading facilities are permitted in the front and side yards if the landscaping requirements for those yards are complied with;


.9 at least one parking space for each 55 square metres of gross floor area shall be provided on the same lot, and such parking spaces shall be used only for vehicles of employees, vehicles of customers, and vehicles required in connection with the main use of the lot;

.10 all operations are to be carried out within buildings, and the height of a building shall not exceed the following, exclusive of mechanical or elevator areas:

- .a two storeys in height, for manufacturing uses;

- .b five storeys in height, for office space;
- .11 outside storage of goods, material and equipment shall not be permitted;
- .12 a Landscaping Strip of a minimum of 12 metres in width shall be provided and maintained along Airport Road, as shown on Figure 1- Exception 1557.

Figure 1



12.1558 Exception 1558

12.1558.1 The lands shall only be used for the following purposes:

- .1 the purposes permitted by Exception 1557.1.
- .2 the manufacturing, assembly, storage and distribution of semi-finished and finished products, and a truck terminal;
- .3 dry cleaning plants, laundry and dyeing establishments, excluding any dangerous uses;
- .4 dairy product plants and bakeries;
- .5 a builder's supply yard or a contractor's yard including a repair and assembly shop, but excluding any scrap metal storage or salvage yards;
- .6 any purpose accessory to the other permitted purposes.

12.1558.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Front Yard Depth shall be:
 - .a 12 metres for a building less than 8 metres in height above grade,
 - .b 15 metres for a building less than 10 metres but greater than 8 metres in height above grade,
 - .c 18 metres for a building less than 12 metres but greater than 10 metres in height above grade,
 - .d 21 metres for a building less than 15 metres but greater than 12 metres in height above grade,
 - .e 24 metres for a building greater than 15 metres in height above grade.
- .2 an area of at least 50 percent (50%) of the required front yard shall be landscaped open space free of parking, driveway and paved area.
- .3 the Minimum Lot Area shall be 2,000 square metres;
- .4 the Minimum Rear Yard Width shall be 8 metres, except that where the rear lot line abuts a railway right-of-way or easement, no rear yard shall be required;
- .5 the minimum side yard width shall be 8 metres, except that where the side lot line abuts a railway right-of-way or easement, no side yard shall be required;
- .6 an area of at least 50 percent (50%) of the required side yard shall be landscaped open space, free of parking, driveway and pavement;
- .7 truck loading facilities may be located in the side or rear yards;

- .8 a hydro electric transformer shall not be located within the front yard or closer to the street than any part of the front wall of the building;
- .9 the outside storage of goods, material and equipment is permitted subject to the following conditions:
 - .a the storage area shall not be located in the front yard, or in any required side yard which abuts a street, or on any portion of the lot required for parking, and shall not be closer to any side lot line, except in the rear yard, than the required setback for a building, provided, however, that where the rear yard abuts a street, the storage area shall not be located closer to any rear lot line than the required setback for a building from the rear lot line;
 - .b the storage area shall be enclosed by a fence or wall not less than 2.4 metres in height, constructed of metal, wood or masonry, which is effective in screening the storage area from the street, provided that no fence shall be required on the rear lot line where a rear yard abuts a railway right-of-way or easement;
 - .c where the storage area abuts a street, a landscaped strip 3 metres in width, containing plant material with suitable screening characteristics, shall be provided and maintained along the affected property line(s), except that where the storage area abuts a railway right-of-way or easement, no landscaping shall be required;
- .10 the provisions of Exception 1558.2(9) shall not prevent the display in the open of new products produced in or distributed by an industrial establishment, provided that:
 - .a the total area so used does not exceed five percent (5%) of the lot area, and
 - .b such area is not closer to any street than the minimum distance from the street required for buildings and structures;
- .11 all manufacturing and processing operations other than:
 - .a the moving of goods and materials in and out of buildings and structures;
 - .b associated minor preparatory finishing work, and
 - .c associated assembly of components too large to be assembled within the buildings and structures

shall be carried out within the buildings and structures.
- .12 the height of a building shall not exceed four storeys for a manufacturing use, or five storeys for an office use, exclusive of mechanical or elevator areas;
- .13 for the purposes permitted by Exception 1558.1(1), the parking requirements set out in Exception 1557.2(9) shall apply;
- .14 for all other purposes, as permitted by Exceptions 1558.1(2) to (6), at least one parking space for each 70 square metres of gross floor area shall be provided on the same lot, and such parking spaces shall be used only for the vehicles of employees and customers, and for vehicles required in connection with the main use of the lot.

12.1559 Exception 1559

12.1559.1 The lands shall only be used for the following purposes:

- .1 a single detached dwelling
- .2 a group home
- .3 a home occupation
- .4 a detached private garage
- .5 an enclosed swimming pool
- .6 purposes accessory to the other permitted purposes not requiring an accessory building or structure, and not including an attached private garage.

12.1559.2 The lands shall be subject to the following requirements and restrictions:

- .1 the Gross Floor Area of a detached private garage shall not exceed 84 square metres.
- .2 enlargement of the single detached dwelling shall be permitted in accordance with the following procedure:
 - .a firstly: conversion of the existing attached private garage into single detached unit purposes, and then
 - .b secondly: enlargement of the single detached dwelling and the former attached private garage.

12.1560 Exception 1560

12.1560.1 The lands shall only be used for the following purposes:


- .1 shall only be used for the purposes permitted in a PE zone

12.1560.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Lot Area: 2,000 square metres
- .2 Minimum Side Yard Width
 - .a for a lot width of 50 metres or less: 8 metres
 - .b for a lot with a width greater than 50 metres but less than 100 metres - 8 metres plus 12 percent of the lot width in excess of 50 metres
 - .c for a lot width of 100 metres or more: 14 metres
- .3 Maximum Coverage of buildings and structures: 50 percent of the lot area
- .4 Minimum Rear Yard Depth: 20 metres
- .5 the required front yard, and all required side yards, from the front lot line to the rear wall of the rearmost building, shall be landscaped as follows:
 - .a the minimum landscaped open space for a corner or interior lot having an area greater than 1 hectare shall be provided as follows:
 - .i 50 percent of the required front yard, and
 - .ii 50 percent of the required side yard from the required front yard to the rear wall of the rearmost building
 - .b the Minimum Landscaped Open Space for lot having an area of 1 hectare or less shall be provided as follows:
 - .i for a corner lot:
 1. 50 percent of the required front yard
 2. 50 percent of the required exterior side yard, and
 3. none required for an interior side yard
 - .ii for an interior lot:
 1. 50 percent of the required front yard, and
 2. 50 percent of one required side yard and none for the other side yard;
 - .6 a Landscaped Buffer Area of a minimum of 12 metres in width shall be provided and maintained along the proposed Arterial Road, as shown on Figure 1 - Exception 1560.

- .7 truck loading facilities are not permitted:
 - .a in the front yard,
 - .b within the front half of the building depth if the building depth is less than 60 metres, and
 - .c within the first 30 metres of the building depth if the building depth is greater than 60 metres
- .8 all operations are to be carried out within buildings, and the height of a building shall not exceed the following, exclusive of mechanical or elevator areas:
 - .a two storeys in height, for manufacturing uses;
 - .b five storeys in height, for office space;
- .9 Outside storage of goods, material and equipment shall not be permitted.

Figure 1



12.1561 Exception 1561

12.1561.1 The lands shall only be used for the following purposes:

.1 shall be used for the purposes permitted in a GE zone.

12.1561.2 The lands shall be subject to the following requirements and restrictions:

.1 Minimum Front Yard Depth

- .a 12 metres for a building 8 metres or less in height above grade
- .b 15 metres for a building 10 metres or less but greater than 8 metres in height above grade
- .c 18 metres for a building 12 metres or less but greater than 10 metres in height above grade
- .d 21 metres for a building 15 metres or less but greater than 12 metres in height above grade
- .e 24 metres for a building greater than 15 metres in height above grade

.2 Minimum Lot Area: 2,000 square metres;

.3 Minimum Rear Yard Width: 8 metres, except where the rear lot line abuts a railway right-of-way or easement, in which case no rear yard shall be required;

.4 Minimum Side Yard Width: 8 metres, except where the side lot line abuts a railway right-of-way or easement, in which case no side yard shall be required;

.5 no hydro-electric transformer shall be located within the front yard or closer to the street than any part of the front wall of the building;

.6 outside storage of goods, material and equipment is permitted subject to the following conditions:

- .a the storage area shall not be located in the front yard, or in any required side yard which abuts a street, or on any portion of the lot required for parking, and shall not be closer to any side lot line, except in the rear yard, than the required setback for a building, provided, however, that where the rear yard abuts a street, the storage area shall not be located closer to any rear lot line than the required setback for a building from the rear lot line.
- .b the storage area shall be enclosed by a fence or wall not less than 2.0 metres in height, constructed of metal, wood or masonry, which is effective in screening the storage area from the street, provided that no fence shall be required on the rear lot line where a rear yard abuts a railway right-of-way or easement.
- .c where the storage area abuts a street, a landscaped strip 3 metres in width, containing plant material with suitable screening characteristics, shall be provided and maintained along the affected property line(s), except where the storage area abuts a railway right-of-way or easement, in which case no landscaping shall be required.

- .7 the provisions of Exception 1561.2(6) shall not prevent the display in the open of new products produced in or distributed by an industrial establishment, provided that:
 - .a the total area so used does not exceed 5 percent of the lot area, and
 - .b such area is not closer to any street than the minimum distance from the street required for buildings and structures.
- .8 all manufacturing and processing operations other than:
 - .a the moving of goods and materials in and out of buildings and structures;
 - .b associated minor preparatory and finishing work, and
 - .c associated assembly of components too large to be assembled within the buildings and structures shall be carried out within buildings and structures;
- .9 no building shall have more than four storeys for a manufacturing use or five storeys for an office use, exclusive of mechanical or elevator areas.
- .10 Minimum Landscaped Open Space: 50 percent of all of the following:
 - .a minimum required front yard area,
 - .b minimum required exterior side yard area, and
 - .c minimum required interior side yard area.

12.1562 Exception 1562


12.1562.1 The lands shall only be used for the following purposes:

- .1 a gas bar;
- .2 agricultural purposes, and
- .3 purposes accessory to the other permitted purposes.

12.1562.2 The lands shall be subject to the following requirements and restrictions:

- .1 the Minimum Lot Width shall be 60.0 metres;
- .2 the Minimum Lot Depth shall be 110.0 metres;
- .3 the Minimum Lot Area shall be 0.85 hectares;
- .4 the Maximum Building Height shall not exceed one storey;
- .5 the Maximum Floor Area of the kiosk shall not exceed 28 square metres;
- .6 Landscaped Open Space shall be provided and maintained in the areas shown as LANDSCAPED OPEN SPACE on Figure 1 - Exception 1562;
- .7 all buildings shall be located within the area shown as BUILDING AREA on Figure 1 – Exception 1562 to this by-law, and
- .8 the garbage enclosure area shall be provided in the location shown on Figure 1 - Exception 1562.

Figure 1



12.1565 Exception 1565

12.1565.1 The lands shall only be used for the following purposes:

.1 shall only be used for the purposes permitted in the GE zone.

12.1565.2 The lands shall be subject to the following requirements and restrictions:

.1 Minimum Lot Width: 50.0 metres, and

.2 Outside Storage:

.a no storage shall be permitted outside a building, except where such storage is confined to the rear yard or that portion of an exterior side yard not used as landscaped open space, and is adequately screened from the streets and any abutting an Open Space Zone, by an opaque fence having a minimum height of 1.8 metres;

.b in cases where solid fence screening is required because of outside storage, the outside storage shall not exceed the height of the solid fence screening;

.c no storage shall be permitted on any portion of a lot required for parking, loading, driveways or landscaped open space;

.d the storage area shall be enclosed by the building and an opaque fence the same as along the rear lot line a maximum of 2.4 metres in height;

.e the screening, where required abutting an Open Space Zone:


.i shall be constructed as an opaque fence with a minimum height of 1.8 metres on top of berm with a minimum height of 0.6 metres, or

.ii shall comprise an opaque fence with a maximum height of 2.4 metres.

.f where the storage area abuts a street, a landscaped strip of 3 metres in width, containing plant material with suitable screening characteristics, shall be provided and maintained along the affected property line(s), except where the storage area abuts a railway right-of-way or easement, in which case no landscaping shall be required.

.3 Landscaped Open Space shall be provided and maintained in the areas shown as LANDSCAPED OPEN SPACE on Figure 1 - Exception 1565.

Figure 1



12.1566 Exception 1566


12.1566.1 The lands shall only be used for the following purposes:

- .1 shall only be used for the purposes permitted in a PE zone.

12.1566.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Lot Width: 50.0 metres;
- .2 Landscaped Open Space shall be provided and maintained in the areas shown as LANDSCAPED OPEN SPACE on Figure 1, Exception 1566.

Figure 1



12.1567 Exception 1567

12.1567.1 The lands shall only be used for the following purposes:

.1 shall only be used for the purposes permitted in an R1 zone to this by-law;

12.1567.2 The lands shall be subject to the following requirements and restrictions:

.1 Minimum Interior Side Yard Width:

- .a a side yard other than a side yard abutting a street, a public park or walkway, or a lot not in an R1 zone may be reduced to zero metres;
- .b the minimum distance between detached buildings shall not be less than 2.1 metres;
- .c in no event shall the total width of both side yards on any lot be less than 2.1 metres; and,
- .d the minimum width of a side yard abutting a public park or walkway or a lot in any other zoning category shall be 1.2 metres for the first storey or part thereof, plus 0.6 metres for each additional storey or part thereof.

.2 Minimum Landscaped Open Space: 50 percent of the front yard of an interior lot, and 60 percent of the front yard of an exterior lot, or 40 percent of the front yard of a lot where the side lot lines converge towards the front lot line.

12.1568 Exception 1568

12.1568.1 The lands shall only be used for the following purposes:

- .1 a manufacturing, processing, assembling, packaging, repairing, fabricating, warehousing and storage use within a wholly enclosed building;
- .2 retail warehousing;
- .3 a furniture and appliance store;
- .4 a recreation facility and structure;
- .5 a community club;
- .6 an automobile sales dealership and establishment;
- .7 a garden centre sales establishment;
- .8 a public and utility use;
- .9 a service shop;
- .10 a banquet hall; and,
- .11 purposes accessory to the other permitted purposes.

12.1568.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Lot Area: 6070 square metres;
- .2 Maximum Coverage: 35 percent;
- .3 Minimum Lot Frontage: 50 metres;
- .4 all buildings and structures shall have a minimum setback of 15.0 metres from the Canadian National Railway right-of-way;
- .5 Maximum Building Height: no restriction;
- .6 a Landscaped Area, not less than 3.0 metres in width, shall be provided and maintained where the lands abut a road;
- .7 an adult entertainment parlour, an adult video store or an adult bookstore shall not be permitted;
- .8 all buildings, structures, sheds and other appurtenances, including paved surfaces shall have a minimum setback of 10 metres from any Natural System (NS) zone.

12.1568.3 for the purposes of Exception 1568:

.1 Retail Warehouse shall mean a building or structure, or part of a building or structure, occupied by a single user and having a minimum gross floor area of 465 square metres. The use permitted shall be for the sale of non-food products displayed and stored in a warehouse format.

12.1569 Exception 1569

12.1569.1 The lands shall only be used for the following purposes:

- .1 a manufacturing, processing, assembling, packaging, repairing, fabricating, warehousing and storage use within a wholly enclosed building;
- .2 retail warehousing;
- .3 a furniture and appliance store;
- .4 a recreation facility and structure;
- .5 a community club;
- .6 an automobile sales dealership and establishment;
- .7 a garden centre sales establishment;
- .8 a public and utility use;
- .9 a service shop;
- .10 a banquet hall;
- .11 a self storage facility; and,
- .12 purposes accessory to the other permitted purposes.

12.1569.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Front Yard Depth shall be:
 - .a 12 metres for a building less than 8 metres in height above grade;
 - .b 15 metres for a building less than 10 metres but greater than 8 metres in height above grade;
 - .c 18 metres for a building less than 12 metres but greater than 10 metres in height above grade;
 - .d 21 metres for a building less than 15 metres but greater than 12 metres in height above grade, and
 - .e 24 metres for a building greater than 15 metres in height above grade.
- .2 Minimum Lot Area: 2,000 square metres;
- .3 Minimum Lot Width: 30 metres;
- .4 Minimum Side Yard Width:
 - .a 8 metres for a lot with a frontage of 50 metres or less, and

- .b 8 metres plus 12 percent of the lot width in excess of 50 metres.
- .5 Minimum Rear Yard Depth: 20 metres;
- .6 Minimum Landscaped Open Space for a lot having an area greater than 1 hectare shall be provided as follows:
 - .a 50 percent of the required front yard, and
 - .b 50 percent of the required side yard from the required front yard to the rear wall of the rear most building.
- .7 Minimum Landscaped Open Space for a lot having an area of 1 hectare or less shall be provided as follows:
 - .a for a corner lot:
 - .i 50 percent of the required front yard,
 - .ii 50 percent of one required side yard none for the other side yard, and
 - .iii none required for an interior side yard.
 - .b for an interior lot:
 - .i 50 percent of the required front yard, and
 - .ii 50 percent of one required side yard, none for the other side yard.
- .8 all operations are to be carried out within buildings;
- .9 Maximum Height of a building shall not exceed two storeys in height, for industrial uses exclusive, of mechanical or elevator areas;
- .10 outside storage of goods, materials and equipment shall not be permitted, and
- .11 a Landscaped Open Space of a minimum of 12 metres in width shall be provided and maintained along Airport Road, and wherever the lot line abuts a 0.3 metre reserve block.

12.1570 Exception 1570

12.1570.1 The lands shall only be used for the following purposes:

.1 shall only be used for the purposes permitted by Exception 1568.1;

12.1570.2 The lands shall be subject to the following requirements and restrictions:

.1 Minimum Front Yard Depth shall be:

- .a 12 metres for a building less than 8 metres in height above grade;
- .b 15 metres for a building less than 10 metres but greater than 8 metres in height above grade;
- .c 18 metres for a building less than 12 metres but greater than 10 metres in height above grade;
- .d 21 metres for a building less than 15 metres but greater than 12 metres in height above grade, and
- .e 24 metres for a building greater than 15 metres in height above grade.

.2 Minimum Lot Area: 2,000 square metres;

.3 Minimum Lot Width: 30 metres;

.4 Minimum Side Yard Width shall be:

- .a 8 metres for a lot with a frontage of 50 metres or less, and
- .b 8 metres plus 12 percent of the lot width in excess of 50 metres;

.5 Minimum Rear Yard Depth: 20 metres;

.6 Minimum Landscaped Open Space for a lot having an area greater than 1 hectare shall be provided as follows:

- .a 50 percent of the required front yard, and
- .b 50 percent of the required side yard from the required front yard to the rear wall of the rear most building;

.7 Minimum Landscaped Open Space for a lot having an area of 1 hectare or less shall be provided as follows:

- .a for a corner lot:
 - .i 50 percent of the required front yard,
 - .ii 50 percent of one required side yard none for the other side yard, and

- .iii none required for an interior side yard.
- .b for an interior lot:
 - .i 50 percent of the required front yard, and
 - .ii 50 percent of one required side yard, none for the other side yard.
- .8 all operations are to be carried out within buildings;
- .9 Maximum Height of a building shall not exceed two storeys in height, for industrial uses, exclusive of mechanical or elevator areas;
- .10 outside storage of goods, materials and equipment is permitted subject to the following conditions:
 - .a the storage area shall not be located in the front yard, or in any required side yard which abuts a street, or on any portion of the lot required for parking, and shall not be closer to any side lot line, except in the rear yard, than the required setback for a building, provided, however, that where the rear yard abuts a street, the storage area shall not be located closer to any rear lot line than the required setback for a building from the rear lot line;
 - .b the storage area shall be enclosed by a fence or wall not less than 2.4 metres in height, constructed of metal, wood or masonry, which is effective in screening the storage area from the street, provided that no fence shall be required on the rear lot line where a rear yard abuts a railway right-of-way or easement, and
 - .c in addition to requirements of (b) above, where the storage area abuts a street or land zoned for purposes other than industrial, a landscaped strip 3 metres in width, containing plant material with suitable screening characteristics, shall be provided and maintained along the affected property line(s);
- .11 the provisions of Exception 1570.2(10) shall not prevent the display in the open of new products produced in or distributed by an industrial establishment, provided that:
 - .a the total area so used does not exceed five percent (5%) of the lot area, and
 - .b such area is not closer to any street than the minimum distance from the street required for buildings and structures;

12.1571 Exception 1571

12.1571.1 The lands shall only be used for the following purposes:


- .1 motor vehicle sales establishment;
- .2 motor vehicle body shop;
- .3 motor vehicle repair shop; and
- .4 purposes accessory to the other permitted purposes.

12.1571.2 The lands shall be subject to the following requirements and restrictions:

- .1 buildings shall be permitted only in the Building Area as shown on Figure 1- Exception 1571 to this by-law;
- .2 a building shall not exceed the building height as shown on Figure 1-Exception 1571 to this by-law;
- .3 the Gross Floor Area of all buildings to be erected within Building Areas B and C, as shown on Figure 1- Exception 1571 to this by-law, shall not exceed 744 square metres;
- .4 the Gross Floor Area of the building erected within Building Area A, as shown on Figure 1- Exception 1571 to this by-law, shall not exceed 136 square metres;
- .5 minimum front yard depth, side yard width and rear yard depth shall not be less than that shown Figure 1- Exception 1571 to this by-law;
- .6 Landscaped Open Space shall be provided and maintained in the areas shown on Figure 1- Exception 1571 to this by-law;
- .7 no storage shall be permitted outside a building except for motor vehicles offered for sale or intended to be serviced or repaired;
- .8 a solid screening wall composed of brick, architectural block, decorative concrete panel or similar material, not less than 2.4 metres in height above finished grade, shall be located along the boundary shown as WALL on Figure 1- Exception 1571 to this by-law;
- .9 a vinyl covered chain link fence, not less than 1.83 metres in height above finished grade, shall be located along the boundary shown as FENCE on Figure 1- Exception 1571 to this by-law;
- .10 a solid board screening fence, not less than 1.83 metres in height above finished grade, shall be located along the boundary shown as BOARD FENCE on Figure 1- Exception 1571 to this by-law;
- .11 the width of a driveway leading to a parking area shall be a minimum width of 8 metres for two-way traffic; and,

.12 the minimum number of parking spaces to be provided shall be not less than 41 of which no more than 6 spaces may be tandem parking spaces. Not less than 27 parking spaces shall be located clear of the proposed road widening.

Figure 1



12.1572 Exception 1572

12.1572.1 The lands shall only be used for the following purposes:

- .1 Industrial:
 - .a the manufacturing, cleaning, packaging, processing, repairing or assembly of goods, foods or materials within an enclosed building, including a motor vehicle repair shop, but excluding a motor vehicle body shop as a principal or accessory purpose;
 - .b a printing establishment;
 - .c a warehouse;
 - .d a parking lot; and,
 - .e an office, other than for a real estate office or an office for a physician, dentist, or drugless practitioner.
- .2 Non-Industrial:
 - .a a radio or television broadcasting and transmission establishment;
 - .b a furniture and appliance store;
 - .c a recreational facility or structure;
 - .d a community club; and,
 - .e only one mixed service restaurant.
- .3 Accessory:
 - .a an associated educational purpose;
 - .b an associated office;
 - .c a retail outlet operated in connection with a particular purpose permitted by Exception 1572.1(1), provided that the total commercial gross floor area of the retail outlet is not more than 15 percent of the total gross floor area of the particular industrial use; and,
 - .d purposes accessory to the other permitted purposes.

12.1572.2 The lands shall be subject to the following requirements and restrictions:

- .1 the total Gross Floor Area of the restaurant shall not exceed 390.2 square metres;
- .2 the total Gross Floor Area of all buildings on the site shall not exceed 3300 square metres;
- .3 a minimum of 95 parking spaces shall be provided on the lot;
- .4 the total Gross Floor Area used for office purposes shall not exceed 558 square metres;

- .5 the customer serving area used for the provision of take-out and packaged fast food shall not exceed 1.5 percent of the gross floor area used for the restaurant; and,
- .6 no entertainment appealing to, or designed to appeal to, erotic or sexual appetites or inclinations shall be permitted in the restaurant.

12.1573 Exception 1573

12.1573.1 The lands shall only be used for the following purposes:

.1 shall only be used for the purposes permitted in an R1 zone;

12.1573.2 The lands shall be subject to the following requirements and restrictions:

.1 Minimum Front Yard Depth: 7.6 metres, provided that minimum distance to front of garage may be 7 metres;

.2 Minimum Interior Side Yard Width:

.a for the part of Lot 53, Registered Plan M-3162, which is adjacent to Lot 52:

.i 1.2 metres on the east side for a one storey dwelling, and 0.6 metres for each additional storey or part thereof, and 0.9 metres on the other side; and,

.ii where the space between the exterior walls of two buildings is less than 2.4 metres, no window below grade or door will be permitted in any wall abutting that space;

.b for the remainder of Lot 53, and for Lots 54 to 60, all on Registered Plan M-3162:

.i 1.2 metres on one side and 0.9 metres on the other side; and,

.ii where the space between the exterior walls of two buildings is less than 2.4 metres, no window below grade or door will be permitted in any wall abutting that space.

.3 Maximum Building Height: 8 metres.

12.1574 Exception 1574


12.1574.1 The lands shall only be used for the following purposes:

- .1 shall only be used for the purposes permitted in a PE zone.

12.1574.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Lot Width: 80.0 metres, and
- .2 Landscaped Open Space shall be provided and maintained in the areas shown as LANDSCAPED OPEN SPACE on Figure 1 - Exception 1574 and Exception 1575 (SPECIAL RESERVE), except for only one approved driveway access.

Figure 1



12.1575 Exception 1575

12.1575.1 The lands shall only be used for the following purposes:

- .1 a landscaped buffer area, and
- .2 purposes permitted on lands designated PE - Exception 1574, but only after the lands shown as ADJACENT LANDS on Figure 1 - Exception 1574 and Exception 1575 (SPECIAL RESERVE), which are used for residential purposes, have been rezoned for industrial purposes in accordance with the PE - Exception 1574 zone.


12.1575.2 The lands shall be subject to the following requirements and restrictions:

- .1 the Landscaped Buffer Area shall:
 - .a be located adjacent to the lands used for residential purposes;
 - .b have a minimum width of 30.0 metres, and
 - .c be landscaped and bermed to screen the lands used for residential purposes:

The berm shall:

 - .i be continuous and be a uniform height of not less than 3.05 metres;
 - .ii have a maximum slope not exceeding a rise of 1.0 metres for each 3.0 metres of horizontal distance;
 - .iii be sodded and planted with vegetation to maintain stability;
 - .iv have a planting area located on the top suitable for and planted with coniferous plantings not less than 1.5 metres in height when planted to provide a visual screen, and
 - .v be designed so that the surface drainage of the lands shown as ADJACENT LANDS on Figure 1 - Exception 1574 and Exception 1575 (SPECIAL RESERVE) is not impaired.

Figure 1



12.1577 Exception 1577

12.1577.1 The lands shall only be used for the following purposes:

- .1 a metal recycling plant;
- .2 a metal fabrication plant;
- .3 a retail outlet operated in connection with a metal recycling plant or a metal fabrication plant, provided that the gross floor area of the retail outlet is not more than 15 percent of the total gross floor area of the particular industrial use, and provided that any outside storage associated with the retail outlet does not comply more than 15 percent of the land area;
- .4 open storage, and
- .5 purposes accessory to the other permitted purposes.


12.1577.2 The lands shall be subject to the following requirements and restrictions:

- .1 open storage of goods and materials shall only be permitted within the area shown as BUILDING AND OPEN STORAGE AREA on Figure 1-Exception 1577;
- .2 except for driveway locations, LANDSCAPED OPEN SPACE having a width of not less than 17.0 metres shall be provided and maintained in the locations shown on Figure 1-Exception 1577. The width of a portion of the LANDSCAPED OPEN SPACE may be reduced to a minimum of 11.0 metres where the LANDSCAPED OPEN SPACE is located in a required front yard directly between a building and Intermodal Drive.
- .3 no open storage of goods and materials shall be permitted until a visual screen encloses the BUILDING AND OPEN STORAGE AREA, which visual screen shall comprise a solid fence or wall having a maximum height of 3.0 metres located on top of a landscaped berm having a minimum height of 3.0 metres for a total minimum height of 6.0 metres, to be located and maintained within the area shown as LANDSCAPED OPEN SPACE on Figure 1-Exception 1577. The required visual screen may be reduced to a landscaped berm only, having a minimum height of 1.8 metres, in that portion of LANDSCAPE OPEN SPACE located within a required front yard directly between a building and Intermodal Drive;
- .4 open storage of goods and materials shall not exceed the height of the visual screen;
- .5 truck parking or open storage of goods and materials shall not be permitted in any required front yard;
- .6 the Minimum Building Height shall be 6.0 metres, and
- .7 the slope of the landscaped berm behind the visual screen may have a minimum ratio of 2:1 facing towards the property zoned GE-Exception 1577, whereas for all other circumstances the minimum ratio of the berm shall be 3:1.

12.1577.3 for the purposes of exception 1577:

- .1 Landscaped Open Space shall mean an unoccupied area of land which is used for the growth, maintenance and conservation of grass, flowers, trees and shrubs and other vegetation, and may include a surfaced walk, patio, screening, pool or similar visual amenity, and an area not exceeding a maximum of 10 metres by 10 metres located in the required front yard, directly between a building and Intermodal Drive for the display of one new or reconditioned machine or piece of equipment, but shall exclude any driveway, ramp, car parking or loading area, curb, retaining wall or any covered space beneath or within any building or structure.

Figure 1



Legend

- Building and Open Storage Area
- Subject Lands
- Landscaped Open Space
- Lands Zoned for Flood Plain Purposes
- m Metre
- Min. Minimum

12.1578 Exception 1578

12.1578.1 The lands shall only be used for the following purposes:

- .1 townhouse dwellings;
- .2 public open space; and,
- .3 purposes accessory to the other permitted purposes.


12.1578.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Lot Width: 24 metres;
- .2 the Minimum Lot Line Setback for all buildings shall be as shown on Figure 1- 1578 to this by-law;
- .3 Minimum Distance between buildings:
 - .a a minimum of 3 metres shall be provided between two exterior walls, if one or none contains a window to a habitable room; and,
 - .b a minimum of 18 metres shall be provided between two exterior walls, if both contain a window to a habitable room.
- .4 Maximum Building Height: 7.5 metres;
- .5 Parking Spaces:
 - .a a minimum of two spaces per unit shall be provided, one of which must be located in an attached carport or garage;
 - .b visitors' parking spaces shall be provided and marked for the use of visitors; and,
 - .c the required number of visitors' parking spaces shall be not less than 25% of the number of total dwelling units.
- .6 an accessory building shall be permitted if it is not used for human habitation, does not exceed 4.5 metres in height, and does not have a floor area in excess of 30 square metres; and,
- .7 a swimming pool shall be permitted if it is not located closer than 1.2 metres to any lot line, and is not located closer than 1.2 metres to any lot line, and is not located any closer than 18 metres to any front lot line.

12.1578.3 for the purposes of Exception 1578:

- .1 shall also be subject to the requirements and restrictions relating to the R2 zone which are not in conflict with the ones set out in Exception 1578.2

Figure 1



12.1579 Exception 1579

12.1579.1 The lands shall only be used for the following purposes:

- .1 Commercial:
 - .a a book store;
 - .b a flower shop;
 - .c an art supply store;
 - .d an arts and craft shop; or,
 - .e a millinery and accessories retail shop.
- .2 Residential:
 - .a a dwelling unit; and,
- .3 Accessory:
 - .a purposes accessory to the other permitted purposes.


12.1579.2 The lands shall be subject to the following requirements and restrictions:

- .1 if any part of the building is used for residential purposes, the minimum gross residential floor area of the dwelling unit shall be 70 square metres;
- .2 a minimum of 6 parking spaces shall be provided in the locations shown on Figure 1-Exception 1579;
- .3 the width of a driveway leading to any parking area shall be a minimum of 3.0 metres;
- .4 the Maximum Building Height shall not exceed 2 storeys;
- .5 Landscaped Open Space shall be provided and maintained in the locations shown on Figure 1-Exception 1579, and the landscaped open space in the rear yard shall have a minimum depth of 6.0 metres; and,
- .6 all buildings and structures shall be located within the area shown as Building Area on Figure 1-Exception 1579.

12.1579.3 for the purposes of Exception 1579:

- .1 Retail Shop, Millinery and Accessories shall mean a building or place where women's clothing and specialty items such as hats, scarves, belts and gloves are sold or kept for sale to the general public.

Figure 1



12.1580 Exception 1580

12.1580.1 The lands shall only be used for the following purposes:

- .1 a single detached dwelling; or,
- .2 a daycare centre, but only as a purpose accessory to a single detached dwelling.

12.1581 Exception 1581

12.1581.1 The lands shall only be used for the following purposes:

- .1 the purposes permitted by Exception 1529.1;
- .2 the sale and leasing of new and used trucks in connection with the industrial use;
- .3 the outside storage of new and used trucks in connection with the industrial use;
- .4 the service and repair of new and used trucks in connection with the industrial use, and
- .5 purposes accessory to the other permitted purposes including a retail outlet operated in conjunction with an industrial use located on the site, provided that the total gross floor area of the retail outlet is not more than twenty percent (20%) of the total gross floor area of the industrial use.

12.1581.2 The lands shall be subject to the following requirements and restrictions:

- .1 the requirements and restrictions of Exception 1529.2, and
- .2 the storage area will not be permitted in the front yard.

12.1582 Exception 1582

12.1582.1 The lands shall only be used for the following purposes:

.1 shall only be used for the purposes permitted by RE Zone.

12.1582.2 The lands shall be subject to the following requirements and restrictions:

.1 the Minimum Lot Width shall be 25.0 metres

12.1583 Exception 1583

12.1583.1 The lands shall only be used for the following purposes:

- .1 a motor vehicle leasing establishment;
- .2 a utility trailer leasing establishment;
- .3 a self-storage locker rental establishment; and,
- .4 purposes accessory to the other permitted purposes.


12.1583.2 The lands shall be subject to the following requirements and restrictions:

- .1 the Gross Commercial Floor Area shall not exceed 1860 square metres;
- .2 a minimum of 15 parking spaces shall be provided;
- .3 the width of a driveway leading to any parking area shall be a minimum of 6.0 metres;
- .4 the Maximum Building Height shall not exceed 1 storey;
- .5 Landscaped Open Space shall be provided and maintained in the location identified on Figure 1- Exception 1583 to this by-law;
- .6 all buildings and structures shall be located within the areas shown as BUILDING AREAS on Figure 1- Exception 1583 to this by-law; and,
- .7 no parking or storage of motor vehicles and utility trailers shall occur in the areas identified as driveways on Figure 1- Exception 1583 to this by-law.

12.1583.3 for the purposes of Exception 1583:

- .1 Self-Storage Locker Rental Establishment shall mean a building where lockers for the purpose of storage of goods or materials are rented or leased to the general public.

Figure 1



12.1584 Exception 1584

12.1584.1 The lands shall only be used for the following purposes:

- .1 sale, service and repair of snowmobiles, boats and accessories;
- .2 offices other than ones for medical, dental, drugless practitioners or real estate purposes; and,
- .3 those purposes permitted by GE Zone.

12.1584.2 The lands shall be subject to the following requirements and restrictions:

- .1 the Total Gross Floor Area used for offices shall not exceed 289 square metres.

12.1585 Exception 1585


12.1585.1 The lands shall only be used for the following purposes:

- .1 a racquetball, squash and fitness club; and,
- .2 purposes accessory to a racquetball, squash and fitness club.

12.1585.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Lot Width: 35 metres;
- .2 Minimum Lot Area: 1 hectare;
- .3 the minimum depth or width of front, side and rear yards shall be as shown on Figure 1- Exception 1585 to this by-law;
- .4 Maximum Building Height: 10 metres;
- .5 within the building envelope as shown on Figure 1- Exception 1585 to this by-law, a building containing no more than a total of 15 racquetball and squash courts, plus 375 square metres of gross commercial floor area for a lounge, shall be permitted;
- .6 a minimum of 100 parking spaces shall be provided;
- .7 a minimum of one loading space shall be provided and shall not be located in the front half of the building;
- .8 Landscaped Open Space with a minimum width of 6 metres shall be provided along the entire front lot line, except where a driveway is located, as shown on Figure 1- Exception 1585 to this by-law;
- .9 a minimum of 20 percent of the front yard shall be landscaped open space; and,
- .10 no waste disposal facility shall be located in the front or side yards.

Figure 1



12.1586 Exception 1586

12.1586.1 The lands shall only be used for the following purposes:

.1 shall only be used for the purposes permitted in an R1 zone of this by-law.

12.1586.2 The lands shall be subject to the following requirements and restrictions:

.1 Minimum Side Yard Width: 1.2 metres on one side and 0.9 metres on the other side, provided that where the distance between the walls of two dwellings is less than 2.4 metres, no window below grade or door will be permitted in any such wall;

.2 Maximum Building Height: two storeys;

.3 all garages or carports shall be built of the same exterior material and of the same architectural design as the main building it is to serve;

.4 a detached private garage or carport as an accessory building may be located in a side or rear yard of a lot in a Residential Zone provided that it is:

- .a not to exceed 2.5 metres in height, in the case of a flat roof;
- .b not to exceed 3.7 metres in height, in the case of a peaked roof;
- .c no closer than 1 metre to a main building;
- .d no closer than 1 metre to a side lot line or rear lot line, and no closer than 6 metres to a flankage lot line;
- .e no closer to a street than the required setback for a main building, and in no case shall be closer to the front lot line than 6 metres; and,
- .f not to have a floor area in excess of 24 square metres.

.5 a detached private garage or carport may be erected in a rear yard or interior side yard with no setback from the side lot line or the rear lot line provided that:

- .a it is not to exceed 2.5 metres in the case of a flat roof;
- .b it is not to exceed 3.7 metres in height, in the case of a peaked roof;
- .c it does not have a floor area in excess of 24 square metres;
- .d the garage for two lots abutting said side or rear of line are designed as one building;
- .e a common wall on and along the said side or rear lot line divides the garages; and,
- .f the garages for the two lots abutting said side or rear of line are constructed or reconstructed simultaneously.

12.1587 Exception 1587

12.1587.1 The lands shall only be used for the following purposes:

.1 shall only be used for the purposes permitted in an PE zone.

12.1587.2 The lands shall be subject to the following requirements and restrictions:

.1 landscaped open space areas shall be provided and maintained as follows:

- .a 9.0 metres wide abutting Airport Road, except at approved driveway locations;
- .b 6.0 metres wide abutting Delta Park Boulevard, except at approved driveway locations;
- .c 3.0 metres wide abutting Nevets Road, except at approved driveway locations; and,
- .d 3.0 metres wide along the north property boundary

12.1588 Exception 1588


12.1588.1 The lands shall only be used for the following purposes:

- .1 Commercial:
 - .a offices other than offices for a physician, dentist or drugless practitioner or a real estate office.
- .2 Accessory:
 - .a purposes accessory to the other permitted purpose.

12.1588.2 The lands shall be subject to the following requirements and restrictions:

- .1 the Gross Commercial Floor Area shall not exceed 124 square metres;
- .2 a minimum of 4 parking spaces shall be provided on the lands as shown on Figure 1- Exception 1588 to this by-law;
- .3 the width of a driveway leading to any parking area shall be minimum of 3.0 metres;
- .4 Landscaped Open Space shall be provided and maintained in the location identified on Figure 1- Exception 1588; and,
- .5 all buildings and structures shall be located within the area shown as Building Area on Figure 1- Exception 1588.

Figure 1



12.1589 Exception 1589

12.1589.1 The lands shall only be used for the following purposes:

- .1 a religious institution;
- .2 a retirement home;
- .3 a nursing home;
- .4 only in conjunction with a religious institution, a day nursery, a conference centre and one (1) residential dwelling unit;
- .5 only in conjunction with a conference centre, a conference centre lodging facility; and,
- .6 purposes accessory to other permitted purposes.

12.1589.2 The lands shall be subject to the following requirements and restrictions:

- .1 no building or structure shall be located closer than 10.0 metres or half the height of the building, whichever is the greater, from any non-institutional zone boundary, and from the easterly limit of the Goreway Drive right-of-way;
- .2 Landscaped Open Space, having a minimum width of 6.0 metres, shall be provided and maintained where the subject lands abut Goreway Drive, except at approved driveway locations;
- .3 Maximum Gross Commercial Floor Area devoted to those uses permitted in Exception 1589.1(2) and (3) – 3,400 square metres; and,
- .4 Maximum Gross Commercial Floor Area devoted to those uses permitted in Exception 1589.1 (4) and (5) – 3,100 square metres.

12.1589.3 for the purposes of Exception 1589:

- .1 Conference Centre shall mean a building or place which is used for the assembly of persons for private and public activities of a religious, political, charitable, educational, social, cultural, recreational, and like purposes, and may include media communication and dining room facilities accessory to the main assembly function.
- .2 Conference Centre Lodging Facility shall mean a building or place operating in conjunction with a conference centre which provides overnight sleeping accommodation for persons engaging in the activities associated with the conference centre, and which does not contain individual cooking facilities, but shall not include:
 - .a a place maintained and operated primarily for the temporary care of, and occupied by, inmates or adults placed on probation or released on parole;
 - .b a place maintained and operated primarily for the temporary care of, and occupied by, transient or homeless persons; or,

- .c a place maintained and operated primarily for the treatment and rehabilitation of, and occupied by, persons who are addicted to drugs and alcohol.

12.1591 Exception 1591


12.1591.1 The lands shall only be used for the following purposes:

- .1 single detached dwellings; and,
- .2 a building or purpose accessory to the other permitted purpose,

12.1591.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Lot Area:
 - .a for parcel 1: 1520 square metres;
 - .b for parcel 2: 2750 square metres.
- .2 Minimum Lot Width: 6.1 metres;
- .3 Minimum Front Yard Depth, Minimum Rear Yard Depth, and Minimum Side Yard Width - as shown on Figure 1- Exception 1591;
- .4 Maximum Building Height: 1 ½ storeys; and,
- .5 Minimum Landscaped Open Space: 40 percent of the lot area.

Figure 1



12.1592 Exception 1592

12.1592.1 The lands shall only be used for the following purposes:

- .1 a retail establishment having no outside storage;
- .2 an office;
- .3 a personal service shop;
- .4 a printing or copying establishment; and,
- .5 a community club

12.1592.2 The lands shall be subject to the following requirements and restrictions:

- .1 Maximum Building Height: 6 storeys.

12.1593 Exception 1593

12.1593.1 The lands shall only be used for the following purposes:

- .1 a retail establishment having no outside storage;
- .2 a grocery store;
- .3 a service shop;
- .4 a personal service shop;
- .5 a bank, trust company, finance company;
- .6 an office, but not including the office of a dentist, physician, or drugless practitioner;
- .7 a dry cleaning and laundry distribution station;
- .8 a laundromat;
- .9 a health centre or a martial arts centre;
- .10 a parking lot; and,
- .11 purposes accessory to the other permitted purpose

12.1593.2 The lands shall be subject to the following requirements and restrictions:

- .1 Minimum Interior Side Yard Width abutting westerly side lot line: 3 metres;
- .2 Minimum Interior Side Yard Width abutting easterly side lot line: 0 metres;
- .3 Minimum Rear Yard Depth: 0 metres;
- .4 Maximum Height: 1 storey;
- .5 Maximum Gross Commercial Floor Area: 280 metres;
- .6 Parking Spaces are required to be provided and maintained on the lot in accordance with the following provisions:
 - .a bank, trust company, finance company: 1 parking space for each 15 square metres of gross commercial floor area or portion thereof; and,
 - .b all commercial uses other than a bank, trust company or finance company: 1 parking space for each 23 square metres of gross commercial floor area or portion thereof.

12.1594 Exception 1594


12.1594.1 The lands shall only be used for the following purposes:

- .1 a retail establishment having no outside storage;
- .2 a grocery store;
- .3 a service shop;
- .4 a personal service shop;
- .5 a bank, trust company, finance company
- .6 an office, but including only one of the following:
 - .a an office of a dentist;
 - .b an office of a physician;
 - .c an office of a drugless practitioner
- .7 a dry cleaning and laundry distribution station;
- .8 a laundromat;
- .9 a parking lot;
- .10 a dining room restaurant, a convenience restaurant, or a take-out restaurant; and,
- .11 a health centre or a martial arts centre.

12.1594.2 The lands shall be subject to the following requirements and restrictions:

- .1 minimum front, rear and side yard depths and widths shall be provided as shown on Figure 1 – Exception 1594 to this by-law;
- .2 the Gross Floor Area of the building shall not exceed a maximum of 3235 square metres;
- .3 the height of the building shall not exceed two storeys;
- .4 Landscaped Open Space shall be provided as shown on Figure 1 – Exception 1594 to this bylaw;
- .5 an enclosed garbage storage compound shall be provided as shown on Figure 1 – Exception 1594 to this by-law;
- .6 a minimum of 89 off-street parking spaces shall be provided; and,
- .7 a minimum of 1 off-street loading space shall be provided.

Figure 1



12.1595 Exception 1595

12.1595.1 The lands shall only be used for the following purposes:

- .1 an office; and,
- .2 the purposes permitted in an GE zone of this by-law.

12.1597 Exception 1597

12.1597.1 The lands shall only be used for the following purposes:

- .1 the uses permitted in NS Zone; and
- .2 a golf course and accessory purposes.
- .3 a tennis court
- .4 a golf driving range

12.1597.2 The lands shall be subject to the following requirements and restrictions:

- .1 a tennis court shall only be permitted within 75 metres of Ebenezer Road.
- .2 Parking:
 - .a Tennis Court: 4 spaces for each court
 - .b Golf Driving Range: 1 parking space for each tee

12.1598 Exception 1598

12.1598.1 The lands shall only be used for the following purposes:

.1 shall only be used for the purposes permitted in an R1 zone of this by-law;

12.1598.2 The lands shall be subject to the following requirements and restrictions:

.1 Minimum Front Yard Depth:

- .a to a main wall of a building 3 metres; and,
- .b to front of garage or carport 6 metres.

.2 Minimum Interior Side Yard Width: for Lots 111, 118 and 119, 127 to 140 (both inclusive), 168, 180 to 185 (both inclusive), 192, 193 and 196 to 202 (both inclusive), on Registered Plan M-417, the total width of both side yards on any lot shall not be less than 1.8 metres.

12.1599 Exception 1599

12.1599.1 The lands shall only be used for the following purposes:

- .1 a single detached dwelling;
- .2 a dwelling unit accessory to a commercial use;
- .3 a retail establishment having no outside storage; and,
- .4 purposes accessory to the other permitted purposes.

12.1599.2 The lands shall be subject to the following requirements and restrictions:

- .1 the main building shall be located within the area shown as Building Area on Figure 1- Exception 1599 to this by-law;
- .2 an accessory building may be located within the area shown as Landscaped Open Space on Figure 1- Exception 1599 to this by-law subject to the requirements of Exception 1599.2(3)
- .3 an accessory building, structure, detached garage or carport shall:
 - .a not be used for human habitation;
 - .b not exceed 4.5 metres in height, in the case of a peaked roof;
 - .c not exceed 3.5 metres in height, in the case of a flat roof;
 - .d not be located closer than 1 metre to a main building, side lot line or rear lot line;
 - .e not be located in a front yard; and,
 - .f not have a floor area in excess of 22 square metres.
- .4 a fence in the form of a visual screen shall be erected and maintained along the rear lot line with a height of not less than 1.8 metres.
- .5 no parking space shall be permitted in the front yard; and,
- .6 not less than 4 parking spaces shall be provided.

12.1599.3 for the purposes of Exception 1599:

- .1 shall also be subject to the requirements and restrictions relating to the R1 zone not in conflict with the ones set out in Exception 1599.2.

Figure 1

