



NOTES

1. DROPPED CURBS ARE TO BE PROVIDED FOR WIDTH OF ALL PEDESTRIAN CROSSING PAVEMENT MARKINGS.
2. DROPPED CURBS ARE TO BE PROVIDED FOR WIDTH OF SIDEWALK FOR CONTROLLED PEDESTRIAN CROSSINGS WHERE PAVEMENT MARKINGS ARE NOT USED.
3. TACTILE WALKING SURFACE INDICATORS ARE TO BE INSTALLED AT ALL PEDESTRIAN CROSSINGS IN CONJUNCTION WITH ALL ROAD AND SIDEWALK CONSTRUCTION, RECONSTRUCTION AND RESURFACING PROJECTS.
4. EACH LOCATION IS SITE SPECIFIC AND CONSULTATION WITH THE CITY OF BRAMPTON SHALL BE REQUIRED FOR NON TYPICAL INTERSECTIONS AND PEDESTRIAN CROSSING LOCATIONS.
5. REFER TO STD. 282 FOR DETAILS REGARDING THE LOCATION OF TACTILE WALKING SURFACE INDICATORS, CURB CUTS AND SIDEWALK RAMPS.
6. THIS DETAIL SHALL BE READ IN CONJUNCTION WITH ACCESSIBILITY FOR ONTARIANS WITH DISABILITIES ACT. 2005 (ONTARIO REGULATION 413/12) FOR ANY DISCREPANCIES, THE AODA SHALL TAKE PRECEDENCE.
7. ALL SIGNS SHALL BE LOCATED AS PER STANDARD 430

All dimensions in millimeters unless otherwise shown



BRAMPTON
Flower City

APPROVED:
JUL 24, 2015

CONTROLLED NON-SIGNALIZED INTERSECTION CONFIGURATION OF PEDESTRIAN CROSSINGS

ORIGINAL:
13/11/2014

REV. 1

283

N.T.S